

In-Place Sketching for Content Authoring in Augmented Reality Games

Nate Hagbi^{*}, Raphaël Grasset[†], Oriël Bergig^{*}, Mark Billingham[†], Jihad El-Sana^{*}

^{*}The Visual Media Lab, Ben-Gurion University, Beer-Sheva, Israel

[†]The HIT Lab NZ, University of Canterbury, New Zealand

ABSTRACT

Sketching leverages human skills for various purposes, such as content authoring. In this paper we explore the design space of In-Place Augmented Reality Sketching, with particular attention to content authoring in games. We propose a contextual model that offers a framework for the exploration of the design space by the research community. We describe a sketch-based AR racing game we developed based on our shape recognition and 3D registration library.

KEYWORDS: In-Place Augmented Reality Sketching, Tangible Interaction, User Interface, Sketch Interaction.

INDEX TERMS: I.3.3 [Computer Graphics]: Interaction Techniques; H.5.1b [Information Interfaces and Representation]: Artificial, augmented, and virtual realities.

1 INTRODUCTION

Augmented Reality (AR) opens new avenues for developing novel immersive digital experiences that are visually tied to the world surrounding the user. Over the last decade, various user interface paradigms have been researched to explore the possibilities offered by AR, such as using haptic devices, Tangible User Interfaces (TUI), gesture-based interfaces, and multimodal interfaces. TUI are intuitive to humans because they draw from our everyday skills, such as grasping and manipulating objects with spatial properties.

One such common human skill is sketching on different kinds of surfaces using physical sketching tools like pens. Sketching provides flexibility through creative processes and allows us to rapidly and easily convey concepts visually to each other, as well as clarify them to ourselves. Sketching is widely used by engineers for prototyping, by designers and artists for brainstorming and communicating ideas, etc. Sketch-based interfaces have been the focus of different HCI research groups for over a decade. Since AR offers the ability to see the real world combined with virtual content, users can facilitate the usage of a real pen and paper in a direct manner. For example, a user can sketch on a whiteboard and see related virtual content appearing on top of the drawing, as depicted in Figure 1. Sketch-based AR experiences can be developed for a wide range of surfaces, such as napkins, paper, whiteboards, walls, and pavements.

In this paper we describe our exploration of *In-Place Sketching*, which refers to sketching in the real world according to the rules of a predefined visual language to create virtual content for 3D augmentation. This exploration is an extension of previous work on In-Place Augmented Reality [1][2]. We focus here on design space concepts and aim at providing a context for the systematic study of In-Place Sketching interfaces and applications.




Figure 2. Sketchchaser: An In-Place Sketching game.

The aspects discussed here are geared towards virtual content authoring in sketch-based AR gaming, which we find one of the most intriguing directions in this scope. To demonstrate the concept, we describe an AR game we developed. The game is designed to provide non AR users intuitiveness and flexibility in creating virtual content.

In the next section we describe the background related to our work. We then turn to provide an example of a simple AR sketching game that demonstrates the concepts discussed. We then describe the details of the design space. Finally, we conclude and discuss future work.

2 BACKGROUND

In this section we review relevant work on sketching in different digital environments. We discuss the digital acquisition techniques that have been used, as well as several sketch-based games that have been developed.

2.1 Sketching Systems

One of the first computer systems using digital sketching is the famous SketchPad system [3], designed by Ivan Sutherland. Another pioneering work done by Zeleznik et al. is the SKETCH system [4], which introduced a new form of interaction for manipulating 3D objects. Balashrinkna et al. [5] recently proposed sketching for creating 3D manipulator interfaces in-situ. On the application side, some notable works are MathPad² [6] and ASSIST [7], which aimed at assisting in learning maths and mechanical engineering using a tabletPC and a digital whiteboard as input devices.

Several researchers have focused on sketching in 3D space using dedicated devices and immersive virtual reality technology [8][9][10]. Other efforts have been made to allow virtual sketching by using real artefacts [11][12][13].

A small number of works combining AR and sketching can be identified in the literature. Different AR researchers have considered possible views of the real world and the dimensionality of the physical space for sketching, such as Fiorentino et al [14], Cheok et al. [15], Yee et al. [16] or Jung Von Matt/next [17]. Seichter et al. [18] proposed the usage of sketching for the design of extruded architectural models, which can be overlaid on real architectural mock-ups. Similarly, Xin et al. [19] presented Napkin Sketching and Anabuki et al. [20] proposed the usage of a dedicated tangible user interface for creating 3D virtual meshes in the real world. More recently, Sareika et al. [21] presented the Urban Sketcher system for exploring the in-situ AR sketching in the context of urban design.

Recently, Bergig et al. [2] presented a sketch-based AR system for reconstructing and augmenting mechanical experiments from webcam images of sketches made using pencil and paper. 3D models were reconstructed from sketches of isometric projections and interaction was allowed by modifying sketch elements for updating the virtual scene.

In summary, most of the previous work on sketch-based interaction has focused on sketch interpretation of input retrieved using digital tablet-based systems and 3D tracking devices. The value of traditional sketching in the scope of AR thus still remains to be explored, which forms the motivation for this work.

2.2 Sketching in Games

Sketching has gained much attention in the scope of gaming recently. Some of the popular sketch-based games in this context are: *LinerRider*¹, *Phun*², *Crayon Physics Deluxe*³, and *PenWars*⁴.

In the scope of AR gaming, Haller et al. [22] presented a Mixed Reality domino game. In *Purple Crayon*, Xin et al. [23] explored the transition of virtual sketched content from a tabletPC into the real environment. Petzold et al. [24] addressed real world sketching in an AR setup. Using projector phones, Löchtefeld et al [25] described a mobile spatial AR game for exploring the transporting of games like *Line Rider* into the real world. More recently, Huynh et al. [26] developed *Art of Defense (AoD)*. They discussed the value of sketching for creating virtual game content.

To conclude, we can identify a movement of games in the direction of tangible sketching interaction. However, a systematic study of the design space of such game interfaces in AR has not been proposed yet.

3 SKETCHASER

We begin by describing a game called *Sketchaser*, which is a collaborative In-Place Sketching game based on the traditional Capture The Flag (CTF) concept. In *Sketchaser* two players compete with each other using their All Terrain Vehicles (ATV) by capturing and maintaining hold of a single flag.

Sketchaser is played on the real world, over real paper or a whiteboard located in front of the two players (see Figure 1). The game arena is designed by sketching according to a set of visual rules, which are used to define virtual game elements of different types. The sketched elements are automatically analyzed by the system and translated into 3D virtual game elements. For example, the symbols in Figure 2(a) define the starting positions of the players' vehicles and the flag. Areas of the sketching surface painted in blue and green, as depicted in Figure 2(b), turn into slippery water ponds and grass patches. Different symbols, such as the ones depicted in Figure 2(c), introduce 3D virtual

objects, such as buildings and trees, into the virtual arena. Sketching black lines, as depicted in Figure 2(d) causes virtual brown hills to rise from the ground along the sketched lines.




Figure 2. Several of the symbols used in *Sketchaser*: (a) player 1, player 2, and flag starting positions (b) water pond and grass patch (c) building and palm tree (d) hills.

The generated virtual content is spatially registered in 3D over the sketching surface, which the players can move around to change the viewpoint on the game. We use the tracking system presented in [27] to maintain 6DOF registration of the sketch. When the system detects the occlusion of parts of the sketch, it renders the virtual content semi-transparently to allow the players to see the underlying sketch while sketching.

An In-Place Sketching game like *Sketchaser*, can be played on different surfaces, such as napkins and whiteboards, use different types of displays, from a mobile phone to a Head Mounted Display (HMD), and involve a wide range of game content types, from basic objects to complex behaviours. This forms a motivation for the development of the In-Place Sketching design space presented in the next section.

4 DESIGN SPACE

In-Place Sketching refers to interactively authoring AR content by drawing it according to a visual language. The resulting experience is derived from both sketching and Augmented Reality. In this section, we discuss these elements as game factors.

4.1 Environment

In-Place Sketching refers to sketching on any surface in the real world surrounding the user, which is also where the user sees the result overlaid. This unifies the real world not only with the virtual world, as generally done in AR, but also with the interaction mechanism. The interaction points between the user and an In-Place Sketching system are the input sketching tools, e.g., pen and paper, and the output display device, which shows the user the result of his creativity. These play fundamental roles in designing user experience and interact with other design concepts.

Sketching Tools

While various types of *active surfaces* exist, such as digitizing tablets and tabletPCs, we are more interested in traditional *passive surfaces*, which can be practically any surface in the real world. To perform sketch interpretation, the passive surfaces is imaged by a camera and the resulting image is analyzed in real time.

Various surface properties have implications on user experience, such as the surface *material*. For example, a game provides a whole different experience depending on whether it is played on a notebook page, a napkin, a whiteboard, or wood. The sketching device has different implications on both system design and user experience. Stroke properties that affect the

¹ <http://www.linerider.com>

² <http://www.phunland.com>

³ <http://www.crayonphysics.com>

⁴ <http://mi-lab.org/projects/penwar>

interpretation process include the tip diameter/thickness, colour, and luminosity.

As in the Sketchaser game, real world objects of different materials (e.g., organic, granular) can also be used to annotate a sketch and add content to it. This allows creating mixed media, collages, and assemblages of Mixed Reality sketching.

Display

Viewing the augmented sketch can be done using any *display device* used in AR, such as projection-based displays, monitors, handheld displays, and HMDs [28]. Different displays provide different advantages for In-Place Sketching applications. For example, an HMD frees the user's hands for sketching, while a mobile phone provides mobility and ubiquity at the cost of limiting the scope of possible interactions.

4.2 Sketch Interpretation

The sketch interpreter component of an In-Place Sketching system is responsible for breaking the sketch content into basic elements, referred as *sketch elements*, or *sketchels*, and inferring their meaning according to the predefined set of visual language rules.

For different practical reasons, such as sampling and lighting conditions, image enhancement usually forms one of the first steps in the interpretation process. The next step will usually be rectifying the incoming frame in order to proceed with interpretation independently of the camera viewpoint relative to the sketch. This is done using the pose information provided by the registration solution.

4.3 Visual Language

The visual language of an In-Place AR application is defined as a set of symbols and rules that can be used to trigger different content creation and manipulation operations. The general concept of visual languages is far beyond the scope of this paper (for an interesting approach, please refer to [29]). We thus focus on classification according to applicative rules that are useful for interactive AR applications i.e., considering the nature of the virtual content it gives rise to.




Figure 3. Different types of sketched content: (a) visual content (b) animation content (c) behavior content (d) interaction content.

The basic class of content that can be sketched is (*audio*-)visual content, whose main function is introducing virtual entities into the augmented scene. The creation methods of visual content span a *vocabulary-grammar* continuum ranging from symbolic recognition of sketch elements to in-place generation of virtual objects according to geometric reconstruction rules. For example, Figure 3(a) depicts a sketched car that may cause the insertion of a predefined 3D mesh into the virtual scene.

On the other extreme, the box sketchel may be geometrically reconstructed into a 3D box, as proposed in [2]. In both extremes, discreet and continuous properties of the sketchels can be used in

the construction of the scene. For example, the size and orientation of a recognized symbol can define the size and orientation of the corresponding rendered virtual model.

The most common visual game assets that can be easily authored in In-Place Sketching games are environments (e.g., terrain and vegetation), urban content (e.g., buildings and roads), controllable objects (e.g., vehicles and cannons), game play content (e.g., collectable bonuses and health kits), characters (e.g., players, monsters, and animals), and ambient elements (e.g., weather and lighting).

The user may also be allowed to sketch *animation content*, which causes the appearance of visual content to change with time. For example, sketching a circular arrow, as depicted in Figure 3(b), may cause a virtual object to rotate around itself. A line emerging from a sketchel may define a path for its virtual object to follow.

Visual content can be given different dynamic properties to be used according to the applicative context, e.g., physical properties for simulation and artificial intelligence rules. We refer to the content of this class as *behaviour content*. Such content can define properties for specific virtual objects or for the entire scene. For example, the mass of a virtual object and the gravitation coefficient may be defined using the alphanumeric annotations in Figure 3(c), triggering simulation in runtime.

Sketched *interaction content* causes virtual objects to be controllable by user actions. For example, sketching the annotations in Figure 3(d) next to an object may wire the object or its properties to a mouse or a joystick, allowing the user to manipulate the object through the game.

4.4 Other Human Factors

Sketching and video games both generally require good eye-hand coordination skills. This requirement holds for In-Place Sketching games in a unique way. The separation between the sketching surface and the display surface, e.g., in the case of a monitor-based setup, has implications on user experience. The user's gaze in this case has to be switched back and forth between the two surfaces and increased coordination is required.

While sketching, the user inevitably occludes the sketching surface from the camera, which causes a visual conflict if the content continues to be rendered over the sketching hand. Here we address this issue by rendering the content semi-transparently or in wireframe style.

An important design decision is the choice of the AR device, which has impact on the *occupancy of the user's hands* while sketching. For instance, an HMD frees both hands for sketching and manipulating the sketching surface. On the other hand, a handheld display, such as a mobile phone, increases the mobility and ubiquity at the cost of limiting the scope of interactions.

4.5 Game Play

As in any other game, the game play itself defines the final factor of the user experience. An In-Place Sketching game can define a new game concept, or be based on existing game concepts, such as CTF or The Sims.

Similarly to other video games, an In-Place Sketching game can be *synchronous or asynchronous*, as well as *collocated or remote*. In our case studies, we focused on synchronous collocated games, where the two players sketch on a shared surface. In a different scenario, e.g., in an In-Place Sketching version of Battleships, each user may be able to sketch on a separate surface, where only the generated shared virtual content is finally augmented.

The *game flow* depends on the temporal interrelation between the sketching task and manipulative tasks performed using other

game controllers, such as joystick. Although various options are possible, several main ones can be identified:

Sketching then Playing: Players first sketch the game content and then play by manipulating it. For example, in the Sketchaser game described above, the players sketch the arena at the beginning of each round and then manipulate its elements using the keyboard and joystick.

Sketching while Playing: Through the game, players alternate between sketching game content and manipulating it. Such games can involve, for instance, sketching and virtual manipulation that are limited in time. Another example can involve two competing or collaborating players, each performing one of the two tasks.

Sketching is Playing: The game play consists mainly of sketching activity. For instance, in a farming game the main task may be to design a farm solely by sketching.

The game flow can be examined with respect to Milgram's Mixed Reality Continuum [30], i.e., considering the tasks the users perform in the AR environment against the tasks performed in a purely virtual environment. For example, players can author game content in AR mode and play the game in VR mode, or the system can switch between these modes at different stages of the game, as in Sony's Eye of Judgment⁵.

4.6 Tracking

3D pose estimation and tracking of the sketching surface allows registering the virtual content to it in every frame. Various solutions can be used for this purpose, such as mechanical tracking and vision-based tracking. While there are several advantages to choosing a heavy-duty tracking solution, such as increased accuracy and insensitivity to different environmental conditions, vision-based methods are cheaper, ubiquitous, less cumbersome, and allow the application to be used anywhere.

The most commonly used vision-based tracking solutions are based on fiducials markers. This comes at the cost of adding visuals unrelated to the sketched content. Natural Feature Tracking (NFT) methods, on the other hand, generally require training and heavily textured surfaces to operate robustly.

It is also possible to use a tracking solution that relies on the sketched content itself. For this purpose, we use the recently presented *Nestor* [27] tracking system, which is a shape recognition and pose estimation system for mobile AR.

5 CONCLUSION AND FUTURE WORK

In this paper we presented our design space for developing In-Place Sketching applications, with special attention to AR games. We described an In-Place Sketching game we developed and its content types.

In the future, we are aiming at conducting a formal user study including more detailed In-Place Sketching games, with a special emphasis on the social aspects of such collaborative experiences. In addition, we intend to introduce more prototype games and extend our exploration on the design space.

REFERENCES

[1] Nate Hagbi, Oriël Bergig, Klara Kedem, Jihad El-Sana, Mark Billingham, In-Place Augmented Reality. In *Proceedings of ISMAR'08*, 2008, IEEE Computer Society.

[2] Oriël Bergig, Nate Hagbi, Klara Kedem, Jihad El-Sana, Mark Billingham, In-Place 3D Sketching for Authoring and Augmenting Mechanical Systems. In *Proceedings of ISMAR'09*, 2009, IEEE Computer Society.

[3] Sutherland, I. E. 1963. Sketchpad: a man-machine graphical communication system. In *Proceedings of AFIPS 63.*, 1963, ACM, p 329-346.

[4] Zeleznik, R. C., Herndon, K. P., and Hughes, J. F. 1996. SKETCH: an interface for sketching 3D scenes. In *Proceedings of ACM SIGGRAPH 1996*. ACM, p 163-170

[5] Ryan Schmidt, Karan Singh, Ravin Balakrishnan. (2008). Sketching and composing widgets for 3D manipulation. In *Proceedings of Eurographics 2008*. p 301-310.

[6] LaViola, J. J. and Zeleznik, R. C. 2004. MathPad²: a system for the creation and exploration of mathematical sketches. In *Proceedings of ACM SIGGRAPH 2004.*, 2004, ACM, p 432-440.

[7] Alvarado, C. and Davis, R.. Resolving Ambiguities to Create a Natural Computer-Based Sketching Environment. In *Proceedings of IJCAI'01*, Washington, USA, August 2001, p 1365-1371.

[8] Deering, M. F. 1996. The HoloSketch VR sketching system. *Communications of the ACM* 39(5) (May 1996), p 54-61.

[9] Ferley, E., Cani, M., and Gascuel, J. 2001. Resolution adaptive volume sculpting. *Graphical Models* 63(6) , p 459-478.

[10] Schkolne, S., Pruett, M., and Schröder, P. 2001. Surface drawing: creating organic 3D shapes with the hand and tangible tools. In *Proceedings of CHI'01*, 2001. ACM, p 261-268.

[11] Anderson, D., Frankel, J. L., Marks, J., Agarwala, A., Beardsley, P., Hodgins, J., Leigh, D., Ryall, K., Sullivan, E., and Yedidia, J. S. Tangible interaction + graphical interpretation: a new approach to 3D modeling. In *Proceedings of SIGGRAPH 2000*, pp 393-402.

[12] Ryokai, K., Marti, S., and Ishii, H. 2004. I/O brush: drawing with everyday objects as ink. In *Proceedings of CHI '04*, 2004, ACM, pp 303-310.

[13] Barnes, C., Jacobs, D. E., Sanders, J., Goldman, D. B., Rusinkiewicz, S., Finkelstein, A., and Agrawala, M.. Video puppetry: a performative interface for cutout animation. In *ACM SIGGRAPH Asia 2008 Papers*, 2008, ACM, p 1-9.

[14] Fiorentino, M., de Amicis, R., Monno, G., and Stork, A. 2002. Spacedesign: A Mixed Reality Workspace for Aesthetic Industrial Design. In *Proceedings of ISMAR'02*, 2002, IEEE Computer Society, p 86.

[15] Cheok, A. D., Edmund, N. W., and Eng, A. W. 2002. Inexpensive Non-Sensor Based Augmented Reality Modeling of Curves and Surfaces in Physical Space. In *Proceedings of ISMAR'02.*, 2002., IEEE Computer Society, p 273.

[16] Yee, B., Ning, Y., Lipson, H. Augmented Reality In-Situ 3D Sketching of Physical Objects, in *Proceedings of IUI'09*, 2009.

[17] Jung Von Matt/next. Tagged in Motion. <http://nextwall.net/content/projekt/taggedinmotion.php>

[18] Seichter, H., Sketchand+. In *Computer-Aided Architectural Design Research in Asia (CAADRIA 2003)*, 2003, p 209-219.

[19] Xin, M., Sharlin, E., and Sousa, M. C. 2008. Napkin sketch: handheld mixed reality 3D sketching. In *Proceedings of VRST '08* , 2008, ACM, p 223-226.

[20] Anabuki, M. and Ishii, H. 2007. AR-Jig: A Handheld Tangible User Interface for Modification of 3D Digital Form via 2D Physical Curve. In *Proceedings of ISMAR'07*, 2007, IEEE Computer Society, pp 1-10.

[21] Sareika M., Schamlstieg D., Urban Sketcher: Mixing Realities in the. Urban Planning and. Design Process., In *Proc. of CHI'08 Workshop*, 2008.

[22] Leitner, J., Köffel, C., Haller, M., Bridging the gap between real and virtual objects for tabletop game. *International Journal of Virtual Reality*, 2006, 5(3), p 1-5.

[23] Xin, M., Sharlin, E., Sousa, M. C., Greenberg, S., and Samavati, F. 2007. Purple crayon: from sketches to interactive environment. In *Proceedings of ACE '07*, 2007, vol. 203. ACM, p 208-211.

[24] Petzold, F., Pfeil, J., Riechert, C. and Green, R., AR Bridge Builder: Real-time Vectorisation of Freehand Sketched Structures for an AR

⁵ <http://www.eyeofjudgment.com>

- Application. In *Proceedings of IVCNZ 2007*, 2007, IEEE Computer Society, p 192-197.
- [25] Löchtefeld, M., Schöning, J., Rohs, M., Krüger, A. LittleProjectedPlanet: An Augmented Reality Game for Camera Projector Phones. In *Proceedings of Mobile HCI 2009: Workshop on Mobile Interaction with the Real World (MIRW'09)*, 2009.
- [26] Huynh, D. T., Raveendran, K., Xu, Y., Spreen, K., and MacIntyre, B. 2009. Art of defense: a collaborative handheld augmented reality board game. In *Proceedings of the 2009 ACM SIGGRAPH Symposium on Video Games*, , 2009., ACM, p 135-142.
- [27] Nate Hagbi, Oriel Bergig, Jihad El-Sana, Mark Billinghurst, Shape Recognition and Pose Estimation for Mobile Augmented Reality. In *Proceedings of ISMAR'09*, 2009, IEEE Computer Society.
- [28] Bimber, O., Raskar, R., Modern Approaches to Augmented Reality, *EUROGRAPHICS 2004 Courses*, 2004.
- [29] Gross, M. D., Visual languages and visual thinking: sketch based interaction and modelling. In *Proceedings of SBIM '09*. 2009. ACM. pp 7-11.
- [30] Milgram, P., H. Takemura, Utsumi, A., Kishino, F., Augmented Reality: A Class of Displays on the Reality-Virtuality Continuum. In *SPIE Proceedings: Telem manipulator and Telepresence Technologies*, 1994, SPIE. 2351: p 282-292.