

Sublogarithmic Distributed MIS Algorithm for Sparse Graphs using Nash-Williams Decomposition

Leonid Barenboim * · Michael Elkin *

Received: date / Accepted: date

Abstract We study the distributed *maximal independent set* (henceforth, MIS) problem on sparse graphs. Currently, there are known algorithms with a sublogarithmic running time for this problem on oriented trees and graphs of bounded degrees. We devise the first *sublogarithmic* algorithm for computing MIS on graphs of bounded arboricity. This is a large family of graphs that includes graphs of bounded degree, planar graphs, graphs of bounded genus, graphs of bounded treewidth, graphs that exclude a fixed minor, and many other graphs. We also devise efficient algorithms for coloring graphs from these families.

These results are achieved by the following technique that may be of independent interest. Our algorithm starts with computing a certain graph-theoretic structure, called *Nash-Williams forests-decomposition*. Then this structure is used to compute the MIS or coloring. Our results demonstrate that this methodology is very powerful.

Finally, we show nearly-tight *lower bounds* on the running time of any distributed algorithm for computing a forests-decomposition.

Keywords MIS · Coloring · Arboricity · Forests-
Decomposition

This research has been supported by the Israeli Academy of Science, grant 483/06.

* Department of Computer Science, Ben-Gurion University of the Negev, POB 653, Beer-Sheva 84105, Israel.
E-mail: {leonidba,elkinm}@cs.bgu.ac.il

1 Introduction

1.1 Distributed Message Passing Model

We study symmetry breaking problems in computer networks. The network is modeled by an undirected unweighted n -vertex graph $G = (V, E)$. The processors in the network are represented by the vertices of G . For each two vertices $u, v \in V$, there is an edge $(u, v) \in E$ if and only if the two processors corresponding to u and v in the network are connected by a communication link. The processors communicate over the edges of G .

Traditionally, symmetry breaking problems have been studied in the *synchronous* model [5,19,11,18]. In this model the communication proceeds in discrete rounds. There is a global clock that is accessible to all the vertices which counts the rounds. In each communication round each vertex $v \in V$ can send a short message, of size $O(\log n)$ bits, to each of its neighbors, and these messages arrive before the next round starts. In addition, it can perform local computations based on the information from messages that it has received so far. For an algorithm \mathcal{A} in this model, the running time of \mathcal{A} is the (worst-case) number of rounds of distributed communication that may occur during an execution of \mathcal{A} .

We focus on deterministic algorithms for the *Maximal Independent Set* (henceforth, MIS) and *coloring* problems. These problems are among the most important problems in symmetry breaking. It has been shown that it is impossible to break symmetry using deterministic algorithms unless each vertex has a distinct identity number [12]. Consequently, whenever deterministic algorithms for symmetry breaking are concerned, it is assumed that each vertex has a distinct identity num-

ber (henceforth, ID) represented by bit strings of length $O(\log n)$ [5, 10, 18, 17].

1.2 MIS

A subset $I \subseteq V$ of vertices is called a Maximal Independent Set (henceforth, MIS) of G if

- (1) I is an independent set, i.e., for every pair $u, w \in U$ of neighbors, either u or w do not belong to I , and
- (2) for every vertex $v \in V$, either $v \in I$ or there exists a neighbor $w \in V$ of v that belongs to I .

The problem of computing MIS is one of the most fundamental problems in the area of Distributed Algorithms. More than twenty years ago Luby [19] and Alon, Babai, and Itai [1] devised two logarithmic time randomized algorithms for this problem on *general* graphs. These algorithms remain the state-of-the-art to this date. Awerbuch, Goldberg, Luby, and Plotkin [3] devised the first deterministic algorithm for this problem on general graphs, which was later improved by Panchonesi and Srinivasan [21] in 1992. The latter algorithm is the state-of-the-art. Its running time is $2^{O(\sqrt{\log n})}$. The best-known lower bound for the MIS problem on general graphs, $\Omega(\sqrt{\frac{\log n}{\log \log n}})$, is due to Kuhn, Moscibroda, and Wattenhofer [15].

Cole and Vishkin [5] presented an algorithm for computing MIS on rings and oriented trees. The running time of the algorithm of [5] is $O(\log^* n)$. Linial [18] has shown that this result is tight up to constant factors. In 1988 Goldberg, Plotkin, and Shannon [11] initiated the study of the MIS problem on *sparse* graphs. They devised a deterministic algorithm for the MIS problem on *planar* graphs that requires $O(\log n)$ time. Their algorithm extends also to graphs of *bounded genus*.

We improve and generalize the result of Goldberg et al. [11] and devise a deterministic algorithm for the MIS problem on graphs of *bounded arboricity* that requires time $O(\frac{\log n}{\log \log n})$. The arboricity of a graph is a measure for its sparsity. (The definition of arboricity can be found in Section 2.) Sparse graphs have low arboricity. The family of graphs of bounded arboricity includes not only planar graphs, graphs of bounded genus, and graphs of bounded degree, but also graphs that *exclude any fixed minor* and graphs of *bounded treewidth*. Moreover, a graph with constant arboricity may have genus $O(n)$, and may contain $K_{\sqrt{n}}$ as a minor. Consequently, the family of graphs on which our algorithm constructs MIS in sublogarithmic time is much wider than each of the families that we have listed above. Moreover, our result applies also when the arboricity $a = a(G)$ of the input graph G is super-constant (up to $a = \log^{1/2-\epsilon} n$,

for any $\epsilon > 0$). (See Section 2 for a more detailed comparison between various graph families.)

To our knowledge, prior to our work the only graph families on which there existed a sublogarithmic time algorithm for the MIS problem were the family of graphs with bounded degree [11, 17, 18] and the family of graphs with bounded growth [9, 14, 23]. In other words, our algorithm is the *first sublogarithmic time* (deterministic or randomized) algorithm for the MIS problem on *any graph family* other than these two families of graphs. Even for the family of *unoriented trees*, which is contained in the family of graphs of constant arboricity, the best previous result has running time of $O(\log n)$.

In addition, we show that an MIS on graphs of arboricity at most a can be computed deterministically in $O(a\sqrt{\log n} + a \log a)$ time. In particular, this result implies that an MIS can be computed deterministically in polylogarithmic time on graphs G with arboricity at most polylogarithmic in n . Hence we significantly extend the class of graphs on which an efficient (that is, requiring a polylogarithmic time) deterministic algorithm for computing MIS is known.

1.3 Coloring

We also study the *coloring* problem. This problem is closely related to the MIS problem, and similarly to the latter problem, the coloring problem is one of the most central and most intensively studied problems in Distributed Algorithms [10, 11, 18, 17, 25]. The goal of the coloring problem is to assign colors to vertices so that for each edge e , the endpoints of e are assigned distinct colors. In other words, the vertex set has to be partitioned into color classes, such that each color class forms an independent set. There is an inherent tradeoff between the running time of a distributed coloring algorithm and the number of colors it employs for coloring the underlying network.

There are efficient algorithms for coloring graphs of bounded degree. Specifically, for a positive integer parameter Δ , Goldberg, Plotkin, and Shannon [11] devised a $(\Delta + 1)$ -coloring algorithm with running time $O(\Delta \log n)$. Goldberg and Plotkin [10] devised an $O(\Delta^2)$ -coloring algorithm with running time $O(\log^* n)$, for constant values of Δ , and Linial [18] extended this result to general values of Δ . Recently, Kuhn and Wattenhofer [17] presented a $(\Delta + 1)$ -coloring algorithm with running time $O(\Delta \log \Delta + \log^* n)$. For planar graphs, Goldberg et al. [11] devised a 7-coloring algorithm with running time $O(\log n)$, and a 5-coloring algorithm with running time $O(\log n \log \log n)$. (The latter algorithm assumes

that a planar embedding of the input graph is known to the vertices.)

We significantly extend the class of graphs families for which efficient coloring algorithms are known, and devise a $(\lfloor(2 + \epsilon) \cdot a\rfloor + 1)$ -coloring algorithm for graphs G of bounded arboricity $a(G) \leq a$ that has running time $O(a \cdot \log n)$. (The parameter $\epsilon > 0$ can be set as an arbitrarily small positive constant.) In particular, our algorithm 7-colors any graph of arboricity at most 3 in logarithmic time, subsuming the result of Goldberg et al. [11]. Moreover, it provides an $O(1)$ -coloring of any graph of constant arboricity in logarithmic time. As was discussed above, this family of graphs contains graphs of bounded degree, graphs of bounded genus, graphs that exclude any fixed minor, and many other graphs.

We also present two tradeoffs between the running time of our algorithm and the number of colors it employs. For a positive parameter $q \geq 1$, and an input graph G of arboricity $a = a(G)$, our first algorithm computes an $O(q \cdot a^2)$ -coloring of the input graph in time $O(\frac{\log n}{\log q} + \log^* n)$. In particular, this implies that in just $O(\log^* n)$ time one can color planar graphs (and other graphs with bounded arboricity) using $O(n^{1/\log^* n}) = n^{o(1)}$ colors. In addition, for a positive parameter t , $1 \leq t \leq a$, our second algorithm computes an $O(t \cdot a)$ -coloring in time $O(\frac{a}{t} \cdot \log n + a \cdot \log a)$. Finally, we show that for any a and q , any algorithm for $O(q \cdot a^2)$ -coloring graphs requires $\Omega(\frac{\log n}{\log a + \log q})$ time, and thus our first tradeoff is nearly optimal.

Using these results we show a *separation* between the problems of MIS and $O(a)$ -coloring, in the following sense. The lower bound mentioned above implies that it is impossible to compute an $O(a)$ -coloring of graphs with bounded arboricity in sublogarithmic time. Nevertheless, we devise an MIS algorithm for this family of graphs with running time $O(\frac{\log n}{\log \log n})$. Therefore, the problem of computing $O(a)$ -coloring is harder than computing an MIS on graphs with bounded arboricity.

1.4 Forests-Decomposition

It is well-known [20] that the edge set E of any graph $G = (V, E)$ of arboricity $a = a(G)$ can be decomposed into a edge-disjoint forests. We refer to this decomposition as the *forests-decomposition*. This fundamental theorem has many applications in graph theory and combinatorics (see [4], and the references therein). However, so far there was no efficient distributed algorithm known for computing such a decomposition. A key ingredient in most of our algorithms for the MIS and coloring problems is an efficient procedure for computing forests-decompositions. Specifically, we demon-

strate that for a parameter q , $q \geq 1$, a forests-decomposition into $O(q \cdot a)$ forests of a graph with arboricity a can be computed (distributedly) in time $O(\frac{\log n}{\log q})$. We also show a lower bound of $\Omega(\frac{\log n}{\log q + \log a}) - O(\log^* n)$ for this problem, demonstrating that our algorithm is near-optimal. Remarkably, all our algorithms can be applied even when vertices do not know the arboricity of the underlying graph.

It is plausible that our algorithm for computing forests-decompositions will be useful for other applications. Hence we believe that this result is of independent interest.

1.5 Related Work

Recently, MIS and coloring problems were studied on unit disk, unit ball, and more generally, bounded growth graphs [16, 14, 9, 23]. Specifically, Kuhn et al. [16] devised a deterministic algorithm with running time $O(\log^* n)$ for these problems on unit ball graphs whose underlying metric is doubling. This result was extended in [14] to a more general family of bounded growth graphs at the expense of increasing the running time to $O(\log \Delta \cdot \log^* n)$. Gfeller and Vicari devised a randomized algorithm for computing MIS in $O(\log \log n \cdot \log^* n)$ time on bounded growth graphs [9]. Finally, Schneider and Wattenhofer improved this result and devised a deterministic algorithm with running time $O(\log^* n)$ for the MIS problem on graphs of bounded growth [23]. We remark that the family of graphs of bounded growth and of bounded arboricity are incomparable, i.e., there are graphs of bounded growth that have large arboricity and vice versa.

Our algorithm for computing forests-decomposition is closely related to one of the coloring algorithms from Goldberg et al. [11]. However, the latter algorithm does not explicitly compute a forests-decomposition. An algorithm that does compute a forests-decomposition explicitly in the PRAM model of parallel computing was devised by Arikati et al. [2]. This algorithm computes an *unoriented* forests-decomposition, i.e., the computed trees are unrooted and, consequently, there is no child-parent relationship between neighboring vertices. Once the decomposition has been computed, each forest is oriented separately. However, this technique does not guarantee an *acyclic* orientation which is required for our coloring algorithms. Moreover, the algorithm of [2] starts with computing a constant approximation on the graph arboricity. While this can be accomplished efficiently in the PRAM model, it is not hard to see that in the distributed model computing such an estimate requires $\Omega(n)$ time. Consequently, the technique

of Arikati et al. is inapplicable in the distributed setting.

Finally, a number of recent papers considered the effect of "sense of direction" or "orientation" on distributed computation [24, 13]. In particular, Kothapalli et al. [13] showed that if the graph G is provided with an orientation that satisfies a certain helpful property then an $O(\Delta)$ -coloring of G can be constructed in $O(\log \Delta + \sqrt{\log n \log \log n})$ time with high probability. However, unfortunately, it is currently not known whether such an orientation can be constructed as efficiently from scratch.

1.6 The Structure of the Paper

In Section 2 we present the basic notions used throughout the paper. In Section 3 we present our algorithms for computing forests-decomposition. In Sections 4 and 5 we employ these algorithms to devise efficient coloring algorithms. Section 6 is devoted to the MIS problem. Finally, in Section 7 we present our lower bounds.

2 Preliminaries

2.1 Definitions and Notation

Unless the base value is specified, all logarithms in this paper are of base 2.

For a non-negative integer i , the *iterative log-function* $\log^{(i)}(\cdot)$ is defined as follows. For a positive integer n , $\log^{(0)} n = n$, and $\log^{(i+1)} n = \log(\log^{(i)} n)$, for every $i = 0, 1, 2, \dots$. Also, for a positive integer n , $\log^* n$ is defined by: $\log^* n = \min \{i \mid \log^{(i)} n \leq 2\}$.

The *degree* of a vertex v in a graph $G = (V, E)$, denoted $\deg(v)$, is the number of edges incident to v . A vertex u such that $(u, v) \in E$ is called a *neighbor* of v in G . The *neighborhood* $\Gamma(v)$ of v is the set of neighbors of v . For a subset $U \subseteq V$, the degree of v with respect to U , denoted $\deg(v, U)$, is the number of neighbors of v in U . The maximum degree of a vertex in G , denoted $\Delta(G)$, is defined by $\Delta(G) = \max_{v \in V} \deg(v)$. The graph $G' = (V', E')$ is a *subgraph* of $G = (V, E)$, denoted $G' \subseteq G$, if $V' \subseteq V$ and $E' \subseteq E$. The *out-degree* of a vertex v in a directed graph G is the number of edges connected to v that are oriented outwards of v .

A *directed cycle* in a directed graph G is a cycle whose edges are oriented consistently, i.e., each vertex in the cycle is adjacent to one outgoing edge and one incoming edge of the cycle.

An *orientation* of (the edges of) an undirected graph G is an assignment μ of direction to each edge of G . An orientation is *acyclic* if the resulting directed graph \hat{G}

contains no directed cycles. An *out-degree* of a vertex v in G with respect to an orientation μ , or shortly, μ -*out-degree*, is the out-degree of v in \hat{G} . An outgoing edge of v in \hat{G} is called an *outgoing edge with respect to μ* , or shortly, a μ -*outgoing edge*.

The *arboricity* of a graph $G = (V, E)$ is defined by:

$$a(G) = \max \left\{ \left\lceil \frac{|E(G')|}{|V(G')| - 1} \right\rceil : G' \subseteq G, |V(G')| \geq 2 \right\}.$$

If the graph G can be understood from the context, we use the notation Δ (respectively, a) as a shortcut for $\Delta(G)$ (resp., $a(G)$).

A coloring $\varphi : V \rightarrow \mathbb{N}$ that satisfies $\varphi(v) \neq \varphi(u)$ for each edge $(u, v) \in E$ is called a *legal coloring*.

Some of our algorithms use as a black-box an algorithm due to Kuhn and Wattenhofer [17] that $(\Delta + 1)$ -colors any graph G with maximum degree Δ in time $O(\Delta \cdot \log \Delta + \log^* n)$. We will refer to this algorithm as *KW Coloring Algorithm*.

2.2 Graph Parameters and Classes

It follows from the definition of arboricity that $a(G) \leq \Delta(G)$, and thus, the family of graphs with bounded arboricity contains the family of graphs with bounded degree.

For a graph G of bounded genus g , by Euler formula, $|E| \leq 3|V| - 6 + 6 \cdot g$, and thus, $a(G) = O(1 + g/|V|)$. Hence the family of graphs of genus $g = O(n)$ is contained in the family of graphs of bounded arboricity.

Another important graph family that is contained in the family of graphs with bounded arboricity is the family of graphs that exclude a fixed minor. Given an edge $e = (x, y)$ of a graph G , the graph G/e is obtained from G by contracting the edge e , that is, by identifying the vertices x and y , and removing all self-loops. In addition, for each pair of nodes u and w for which the resulting graph has now more than one edge, we replace all these edges with a single edge (u, w) . A graph H' that is obtained from G by a sequence of edge contractions is called a *contraction* of G , and a subgraph H of a contraction of G is called a *minor* of G . For a fixed graph H , a graph family \mathcal{G} is said to *exclude a minor H* if for every graph $G \in \mathcal{G}$, H is not a minor of G .

It is well-known (see, e.g., [6] Theorem 7) that for any fixed graph H there exists a number a_H such that every graph G that excludes minor H has arboricity at most a_H . Consequently, the family of graphs that exclude a fixed minor is contained in the family of graphs with bounded arboricity.

The same is true for graphs with bounded *treewidth*. For a positive integer parameter k , we say that a vertex v is a k -*simplicial* vertex if the set of its neighbors forms a clique of size k , K_k . A k -*tree* is a graph G that is either isomorphic to K_k , or G has a k -simplicial vertex v and the graph $G \setminus v$ obtained by removing v from G is a k -tree. A *treewidth* of a graph G is the minimum k such that G is a spanning subgraph of a k -tree. It is well-known that a graph with treewidth k has arboricity at most k . (See, e.g., [7] Theorem 2). Consequently, the family of graphs of bounded treewidth is contained in the family of graphs of bounded arboricity.

3 Forests-Decomposition

In this section we present a distributed algorithm that computes a forests-decomposition with $(2+\epsilon) \cdot a$ forests, for an arbitrarily small constant parameter $\epsilon > 0$. This algorithm is a basic building block in most of our coloring algorithms. Some of them invoke this algorithm directly. Other algorithms do not employ it as a black-box, but rather use the partition of the vertex set V produced by this algorithm.

In Section 3.1 we present a simpler variant of our algorithm for computing a forests-decomposition that applies to the scenario in which both the number of vertices n and the arboricity $a = a(G)$ of the input graph are known to all vertices before the computation starts. In Section 3.2 we extend the algorithm to scenarios in which one of those parameters is not known in the beginning of the computation.

3.1 Known Arboricity

On the first step, our algorithm for computing a forests-decomposition, henceforth Procedure *Forests-Decomposition*, invokes the partitioning subroutine called Procedure *Partition*. Both Procedure *Forests-Decomposition* and Procedure *Partition* accept as input two parameters. The first parameter is the arboricity of the input graph, and the second parameter ϵ is a positive real number. Procedure *Partition* partitions the vertex set of the graph into $\ell = \lfloor \frac{2}{\epsilon} \log n \rfloor$ disjoint subsets H_1, H_2, \dots, H_ℓ that satisfy that every vertex $v \in H_i$, $i \in \{1, 2, \dots, \ell\}$, has at most $(2+\epsilon) \cdot a$ neighbors in the vertex set $\bigcup_{j=i}^{\ell} H_j$, i.e., $\deg(v, \bigcup_{j=i}^{\ell} H_j) \leq (2+\epsilon) \cdot a$. We will henceforth refer to partitions that satisfy this property as *H-partitions* with *degree* at most $(2+\epsilon) \cdot a$ and *size* $\ell = O(\log n)$.

During the execution of this procedure each vertex in V is either active or inactive. Initially, all the vertices

are active. For every $i = 1, 2, \dots, \ell$, on the i th round each active vertex with at most $(2+\epsilon) \cdot a$ active neighbors joins the set H_i and becomes inactive. The pseudo-code of Procedure *Partition* is presented below. In all our algorithms the presented pseudo-code is for a given vertex v , and it is executed in parallel by all vertices in the network.

Algorithm 1 Procedure *Partition*(a, ϵ): partitions the vertices into $\ell = \lfloor \frac{2}{\epsilon} \log n \rfloor$ sets such that every vertex $v \in H_i$, $i \in \{1, 2, \dots, \ell\}$, has at most $(2+\epsilon) \cdot a$ neighbors in $\bigcup_{j=i}^{\ell} H_j$.

Initially all vertices are active.

```

1: for round  $i = 1, 2, \dots, \ell$  do
2:   if  $v$  is active and has at most  $(2+\epsilon) \cdot a$  active neighbors
   then
3:     make  $v$  inactive
4:     add  $v$  to  $H_i$ 
5:     send the messages 'inactive' and 'v joined  $H_i$ ' to all the
       neighbors
6:   end if
7:   for each received 'inactive' message do
8:     mark the sender neighbor as inactive
9:   end for
10: end for

```

The next lemma shows that each vertex in the network becomes inactive during the execution, and joins one of the sets H_1, H_2, \dots, H_ℓ .

Lemma 31. *A graph $G = (V, E)$ with arboricity $a(G)$ has at least $\frac{\epsilon}{2+\epsilon} \cdot |V|$ vertices with degree $(2+\epsilon) \cdot a$ or less.*

Proof Suppose for contradiction that there are more than $\frac{2}{2+\epsilon} \cdot |V|$ vertices with degree greater than $(2+\epsilon) \cdot a$. It follows that $2|E| = \sum_{v \in V} \deg(v) > ((2+\epsilon) \cdot a) \cdot |V| \cdot \frac{2}{2+\epsilon} = 2 \cdot a \cdot |V| \geq 2 \cdot \frac{|E|}{|V|-1} \cdot |V| > 2|E|$. This is a contradiction. \square

By the definition of arboricity, the subgraph induced by any subset of V of active vertices has arboricity at most a .

Lemma 32. *For any subgraph G' of G , the arboricity of G' is at most the arboricity of G .*

By Lemmas 31-32, on each round at least $(\frac{\epsilon}{2+\epsilon})$ -fraction of the active vertices become inactive, and so after $\log_{(2+\epsilon)/2} n$ rounds all vertices become inactive. Since $\log_{(2+\epsilon)/2} n \leq \frac{2}{\epsilon} \log n$ for ϵ , $0 < \epsilon \leq 2$, we have proved the following lemma.

Lemma 33. *For a graph G with $a(G) = a$, and a parameter ϵ , $0 < \epsilon \leq 2$, Procedure *Partition*(a, ϵ) produces an *H-partition* $\mathcal{H} = H_1, H_2, \dots, H_\ell$ of size $\ell \leq \lfloor \log_{(2+\epsilon)/2} n \rfloor \leq \lfloor \frac{2}{\epsilon} \log n \rfloor$.*

The next lemma shows that the H -partition \mathcal{H} has a small degree.

Lemma 34. *The H -partition $\mathcal{H} = \{H_1, H_2, \dots, H_\ell\}$, $\ell \leq \lfloor \frac{2}{\epsilon} \log n \rfloor$, has degree at most $(2 + \epsilon) \cdot a$.*

Proof The vertex v was added to H_j on round number j . Every neighbor of v that belongs to one of the sets $H_j, H_{j+1}, \dots, H_\ell$ was added to its set on round j or later. Therefore, at the end of round $j - 1$ all its neighbors in $H_j \cup H_{j+1} \cup \dots \cup H_\ell$ were active. The vertex v has been added because the number of its active neighbors was at most $(2 + \epsilon) \cdot a$. Thus the number of the neighbors of v in $H_j \cup H_{j+1} \cup \dots \cup H_\ell$ is at most $(2 + \epsilon) \cdot a$. \square

We summarize the properties of Procedure Partition in the following theorem.

Theorem 35. *For a graph G with arboricity $a(G) = a$, and a parameter ϵ , $0 < \epsilon \leq 2$, Procedure Partition(a, ϵ) computes an H -partition of size $\ell \leq \lfloor \frac{2}{\epsilon} \log n \rfloor$ with degree at most $(2 + \epsilon) \cdot a$. The running time of the procedure is $O(\log n)$.*

We will also use this procedure with second parameter $q > 2$. (For convenience, we call this parameter ϵ when it is at most 2, and q when it is larger than 2.) Observe that Lemma 31 is applicable for all values of the second parameter. The number of rounds required to make all vertices inactive is at most $\log_{\frac{2+q}{2}} n = O(\frac{\log n}{\log q})$, and thus, for $q > 2$, we set $\ell = \lfloor \log_{\frac{2+q}{2}} n \rfloor$. Hence the resulting H -partition has size $O(\frac{\log n}{\log q})$ as well. On the other hand, by Lemma 34, the degree of the H -partition is at most $(2 + q) \cdot a$.

Corollary 36. *For a graph G with arboricity $a(G) = a$, and a parameter q , $q > 2$, Procedure Partition(a, q) computes an H -partition of size $O(\frac{\log n}{\log q})$ with degree at most $(2 + q) \cdot a$. The running time of the procedure is $O(\frac{\log n}{\log q})$.*

On the next step Procedure Forests-Decomposition orients the edges of the graph as follows. For each edge $e = (u, v)$, if the endpoints u, v are in different sets $H_i, H_j, i \neq j$, then the edge is oriented towards the vertex in the set with a greater index. Otherwise, if $i = j$, the edge e is oriented towards the vertex with a greater ID among the two vertices u and v . The orientation μ produced by this step is acyclic. By Lemma 34, each vertex has μ -out-degree at most $(2 + \epsilon) \cdot a$. This step is called Procedure Orientation.

Finally, on the last step Procedure Forests-Decomposition partitions the edge set of the graph into forests. Each vertex is in charge for its outgoing edges, and it assigns each outgoing edge a different label from the set $\{1, 2, \dots, \lfloor (2 + \epsilon) \cdot a \rfloor\}$. This step will be henceforth

referred as the *labeling step*. It will later be shown that for each index i , the set of edges labeled by i forms a forest.

Algorithm 2 Forests-Decomposition(a, ϵ): partition the edge set into $\lfloor (2 + \epsilon) \cdot a \rfloor$ forests.

- 1: Invoke Procedure Partition(a, ϵ)
 - 2: $\mu := \text{Orientation}()$
 - 3: Assign a distinct label to each μ -outgoing edge of v from the set $\{1, 2, \dots, \lfloor (2 + \epsilon) \cdot a \rfloor\}$
-

The time complexity of Procedure Partition is $O(\log n)$, and the steps 2 and 3 of Procedure Forests-Decomposition, orienting and labeling the edges, require $O(1)$ rounds each. Hence the overall time complexity of the forests-decomposition algorithm is $O(\log n)$.

Lemmas 37-39 constitute the proof of correctness of the algorithm for computing forests-decomposition.

Lemma 37. *The orientation μ formed by the algorithm is consistent.*

Proof For an edge $e = (u, v)$, if u orients e towards v then either the index of v is greater than the index of u , or they have the same index but $ID(u) < ID(v)$. In both cases v orients e towards v as well. \square

Lemma 38. *The orientation μ formed by the algorithm is acyclic.*

Proof We show that there are no directed cycles with respect to μ . Let C be a cycle of G . Let v be a vertex in C such that the H -index i of v (that is, the index i s.t. $v \in H_i$) is the smallest index of a vertex in C , and such that $ID(v)$ is the smallest identity number in $H_i \cap C$. Let u, w denote the two neighbors of v in C . Obviously, both edges (v, u) and (v, w) are oriented outwards of v , and thus, the μ -out-degree of v in the cycle is 2. Hence C is not a directed cycle with respect to μ . Consequently, the orientation μ is acyclic. \square

For each $i = 1, 2, \dots, \ell$, consider the graph $G_i = G(H_i)$ induced by the set H_i . Lemma 34 implies that the maximum degree $\Delta(G_i)$ of a vertex in G_i is at most $(2 + \epsilon) \cdot a$. Moreover, a stronger statement follows:

Lemma 39. *Each vertex has μ -out-degree at most $(2 + \epsilon) \cdot a$.*

Proof Let v be a vertex of G . Let j be the H -index of v . Each outgoing edge of v is connected to a vertex with an H -index that is greater or equal to j . Hence by Lemma 34, v has at most $(2 + \epsilon) \cdot a$ outgoing edges. \square

By Lemma 39, once the orientation μ is formed, each vertex can assign distinct labels to its outgoing edges from the range $1, 2, \dots, \lfloor (2 + \epsilon) \cdot a \rfloor$. The next lemma shows that the undirected graph induced by the set of edges labeled with the label i does not contain cycles.

Lemma 310. *For each label i , the set of edges labeled by i forms a forest.*

Proof By Lemma 38, each cycle of G has a vertex with two outgoing edges on this cycle. Suppose for contradiction that there is a cycle C with all edges labeled by the same label i . There exists a vertex v in this cycle and two edges e_1, e_2 adjacent to v oriented outwards of v . Thus, the algorithm labeled the edges e_1, e_2 with different labels, contradiction. \square

We summarize this section with the following corollary.

Corollary 311. *For a graph G with arboricity $a = a(G)$, and a parameter ϵ , $0 < \epsilon \leq 2$, Procedure Forests-Decomposition(a, ϵ) partitions the edge set of G into $\lfloor (2 + \epsilon) \cdot a \rfloor$ forests in $O(\log n)$ rounds. Moreover, as a result of its execution each vertex v knows the label and the orientation of every edge (v, u) adjacent to v .*

Similarly to Procedure Partition, Procedure Forests-Decomposition can be invoked with second parameter $q > 2$. Lemmas 37 - 310 stay unchanged, and thus we obtain the following corollary.

Corollary 312. *For a graph G with $a(G) = a$, and a parameter q , $q > 2$, Procedure Forests-Decomposition(a, q) partitions the edge set of G into at most $(2 + q) \cdot a$ forests within time $O(\frac{\log n}{\log q})$.*

See Figure 1 for an illustration.




Fig. 1. *Forests-Decomposition.* (Some vertices and edges are omitted from the figure for clarity.) An outgoing edge from a vertex u to a vertex v labeled with a label i means that v is the parent of u in a tree of the i th forest F_i . Solid edges represent edges with the label '1'. Dashed edges represent edges with the label '2'.

3.2 General Scenarios

For Algorithm 2 to work properly, each vertex needs to know the number of vertices n , and the arboricity of the graph a at the beginning of the computation. (The number of vertices is required for the vertices to be able to compute the value $\lfloor \frac{2}{\epsilon} \log n \rfloor$, and the arboricity is needed to compute the degree threshold $(2 + \epsilon) \cdot a$.) In this section we extend the algorithm to apply to the scenario in which one of these parameters is not known to the vertices when the computation starts.

If only the number of vertices n is known, we compute a $2 \cdot (2 + \epsilon) \cdot a$ forests-decomposition without a priori knowledge of a in $O(\log n)$ rounds by the following algorithm. First, we extend Procedure Partition to this scenario. The generalized procedure is called *Procedure General-Partition*.

Procedure General-Partition invokes a procedure similar to Procedure Partition(a, ϵ) for $\lceil \log n \rceil + 1$ times in parallel. The i th invocation of this procedure accepts as input $a = 2^i$, for $i = 0, 1, \dots, \lceil \log n \rceil$. Each vertex v maintains a boolean activity array A_v , and round numbers array R_v . The entry $A_v[i]$ is equal to 1 if v is currently active in the invocation of Procedure Partition with the parameter $a = 2^i$. Henceforth we say that v is i -active (respectively, i -inactive) if it is active (resp., inactive) with respect to invocation i . Initially, all vertices are i -active in all invocations, i.e., $A_v[i] = 1$ for all i . In every round, for all i , each i -active vertex v that has at most $(2 + \epsilon) \cdot 2^i$ i -active neighbors becomes i -inactive, and the value of $A_v[i]$ is set to 0. In addition, the round number in which it became i -inactive is recorded in $R_v[i]$. We remark that some vertices may stay i -active in some invocation i during the entire execution of the algorithm. However, by a previous argument, when the process stops after $k = \lfloor \frac{2}{\epsilon} \log n \rfloor$ rounds, for all vertices v in the graph G and for all indices i such that $a(G) \leq 2^i \leq n$, the vertex v is i -inactive, i.e., $A_v[i] = 0$. (Since when Procedure Partition is invoked with the parameters $a' \geq a(G)$, and ϵ , all vertices become inactive during its execution. See Lemmas 31 - 33).

In round $k + 1$ each vertex v joins a set H_{ind} , $1 \leq ind \leq \ell$, for $\ell = O(\log a \log n)$. The index ind of the set H_{ind} depends on the invocation with the smallest index m in which v became m -inactive, and on the number of the round $R_v[m]$ in which it became m -inactive. Note that v had at most $(2 + \epsilon) \cdot 2^m$ m -active neighbors when it became m -inactive. All other neighbors w became m -inactive before v did. The index ind of v is computed by the formula $ind = ind(v) = m \cdot \lfloor \frac{2}{\epsilon} \log n \rfloor + R_v[m]$.

For the index ind as above, the set H_{ind} is said to belong to the class m . The collection of sets H_{ind} that

belong to the class m is denoted \mathcal{C}_m . Observe that there may exist indices $q \in \{1, 2, \dots, \ell\}$ for which no vertex v satisfies $\text{ind}(v) = q$. The corresponding sets H_q are set as empty, i.e., $H_q := \emptyset$.

The pseudo-code of the algorithm is provided below.

Algorithm 3 General-Partition(ϵ)

Each vertex maintains an activity array A_v of size $\lceil \log n \rceil + 1$. Initially for each vertex v , $A_v[i] = 1$ for $i = 0, 1, \dots, \lceil \log n \rceil$.

set $k = \lfloor \frac{2}{\epsilon} \log n \rfloor$

```

1: for round  $i := 1, 2, \dots, k$  do
2:   for  $j := 0, 1, \dots, \lceil \log n \rceil$  in parallel do
3:      $Sum[j] := \sum_{u \in \Gamma(v)} A_u[j]$  /*  $Sum[j]$  is the number
      of  $j$ -active neighbors of  $v$  */
4:   end for
5:   for  $j := 0, 1, \dots, \lceil \log n \rceil$  in parallel do
6:     if  $A_v[j] = 1$  and  $Sum[j] \leq (2 + \epsilon) \cdot 2^j$  then
7:       /* if  $v$  has  $\leq (2 + \epsilon) \cdot 2^j$   $j$ -active neighbors in the
          invocation  $j$  */
8:        $A_v[j] := 0$ 
9:        $R_v[j] := i$ 
10:    end if
11:  end for
12:  send the array  $A_v$  to all the neighbors
13: end for
14:  $m := \min \{i \mid A_v[i] = 0, i = 0, 1, \dots, \lceil \log n \rceil\}$ 
15:  $\text{ind} := m \cdot k + R_v[m]$ 
16: join the set  $H_{\text{ind}}$ 
17: send the message ' $v$  joined  $H_{\text{ind}}$ ' to all neighbors

```

Note that in step 12 only $O(\log n)$ bits are sent in each message.

Next, we show that the degree of the H -partition $\mathcal{H} = \{H_1, H_2, \dots, H_\ell\}$ is $O(a(G))$. Recall that for a vertex v and a set H_i , we say that the set H_i is the *set of* v if $v \in H_i$. The index i as above is called the *H -index* of v .

Lemma 313. For an index $m = 1, 2, \dots, \lceil \log n \rceil$, a set $H_{\text{ind}} \in \mathcal{C}_m$, and a vertex $v \in H_{\text{ind}}$,

- (1) $\deg(v, \bigcup_{j=\text{ind}}^\ell H_j) \leq (2 + \epsilon) \cdot 2 \cdot a(G)$.
- (2) $\deg(v, \bigcup \{H_j \mid H_j \in \mathcal{C}_m, j \geq \text{ind}\}) \leq (2 + \epsilon) \cdot 2^m$.

Proof For a neighbor w that became m -inactive before v did, the number of the invocation with the smallest index q in which w becomes q -inactive at some point during the execution is less or equal to m . If $q < m$ then

$$\begin{aligned} \text{ind}(w) &= q \cdot \left\lfloor \frac{2}{\epsilon} \log n \right\rfloor + R_w[q] \\ &< \text{ind}(v) = m \cdot \left\lfloor \frac{2}{\epsilon} \log n \right\rfloor + R_v[m], \end{aligned}$$

because $1 \leq R_w[q], R_v[m] \leq \lfloor \frac{2}{\epsilon} \log n \rfloor$. If $q = m$ then $R_w[m] < R_v[m]$, since w became m -inactive before v did. Hence in this case as well, $\text{ind}(w) < \text{ind}(v)$.

Since v has at most $(2 + \epsilon) \cdot 2^m$ neighbors that became m -inactive after v did, or in the same round as v did, the number of neighbors of v with an H -index greater or equal than the H -index ind of v is at most $(2 + \epsilon) \cdot 2^m$. Hence $\deg(v, \bigcup \{H_j \mid H_j \in \mathcal{C}_m, j \geq \text{ind}\}) \leq \deg(v, \bigcup_{j=\text{ind}}^\ell H_j) \leq (2 + \epsilon) \cdot 2^m$, proving the second assertion of the lemma.

Observe that for all i such that $a(G) \leq 2^i \leq n$, at the end of the execution $A_v[i] = 0$ holds. Recall also that m is the smallest index such that $A_v[m] = 0$ at the end of the execution. Hence, it follows that $2^m \leq 2 \cdot a(G)$. Therefore, the overall number ℓ of sets H_i is at most $\log(2 \cdot a(G)) \cdot \lfloor \frac{2}{\epsilon} \log n \rfloor = O(\log a(G) \cdot \log n)$. Also, it follows that for a vertex $v \in H_t$, $t = 1, 2, \dots, \ell$, $\deg(v, \bigcup_{j=t}^\ell H_j) \leq (2 + \epsilon) \cdot 2^m \leq (2 + \epsilon) \cdot 2 \cdot a(G)$, proving the first assertion. \square

Next, we build upon Procedure General-Partition to devise an algorithm (Procedure General-Forests-Decomposition) for computing the forests-decomposition in the scenario when only n is known. Procedure General-Forests-Decomposition starts with invoking Procedure General-Partition with input ϵ . Step 2, Procedure Orientation, is executed exactly as in Algorithm 2, and produces an orientation μ of the graph. Finally, in the Labeling step each vertex that has δ outgoing edges with respect to μ assigns distinct labels to its outgoing edges from the set $\{1, 2, \dots, \delta\}$. By the same argument as in the proof of Lemma 38, the orientation μ is an acyclic orientation. Also, by Lemma 39, for every vertex v the μ -out-degree of v is at most $2 \cdot (2 + \epsilon) \cdot a(G)$.

The properties of Procedure General-Forests-Decomposition are summarized in the following corollary.

Corollary 314. Procedure General-Forests-Decomposition(ϵ) computes a forests-decomposition of the input graph $G = (V, E)$ into $O(a(G))$ forests. In addition, the procedure produces an H -partition of size $O(\log a \log n)$ and degree at most $(2 + \epsilon) \cdot 2 \cdot a(G)$. The running time of the procedure is $O(\log n)$.

We remark that the upper bound on the degree of the H -partition can be made as close to $2 \cdot a(G)$ as one wishes. Let $\epsilon', \epsilon' > 0$, denote an arbitrarily small positive constant. The only modification is that in Procedure General-Partition we run $\lceil \log_{1+\epsilon'} n \rceil + 1$ executions of Procedure Partition in parallel, with values of the threshold parameter $a = (1 + \epsilon')^i$, for $i = 0, 1, \dots, \lceil \log_{1+\epsilon'} n \rceil$, instead of $\lceil \log n \rceil + 1$ executions with values $a = 2^i, i = 0, 1, \dots, \lceil \log_2 n \rceil + 1$. This way the number of forests in the resulting decomposition is at most $(1 + \epsilon')(2 + \epsilon) \cdot a(G)$. The time complexity remains the same, up to a constant factor. The size of the H -partition, as well as the maximum message size, grows also only by a constant factor.

One can also run Procedure General-Forests- Decomposition with an input parameter q , $q > 2$. By the same considerations, this way we obtain a forests-decomposition into at most $a(G) \cdot (2+q)$ forests in time $O(\frac{\log n}{\log q})$, and an H -partition of size $O(\log a \cdot \frac{\log n}{\log q})$ and degree at most $a(G) \cdot (2+q)$.

Finally, consider the scenario in which neither the graph arboricity nor the number of vertices n is known to the vertices in advance, but instead vertices are provided with a polynomial estimate N of n . (Specifically, there exists a universal constant c , $c > 1$, such that $n^{1/c} \leq N \leq n^c$.) In this scenario we replace all occurrences of n in Procedure General-Partition with N^c . It is easy to see that precisely the same analysis applies, but the size ℓ of the H -partition becomes at most $\lfloor \frac{2}{\epsilon} \log N^c \cdot \log(2a) \rfloor \leq \lfloor c^2 \cdot \frac{2}{\epsilon} \log n \cdot \log(2a) \rfloor$, and the running time of the algorithm grows by at most a factor c^2 as well. To summarize, Corollary 314 holds up to constant factors in this more general scenario as well.

4 $O(a)$ -Coloring

In this section we employ the Forests-Decomposition algorithm described in Section 3 to devise an efficient algorithm, called Procedure *Arb-Color*, that colors the input graph G of arboricity $a = a(G)$ in $(\lfloor (2 + \epsilon) \cdot a \rfloor + 1)$ -colors, for an arbitrarily small parameter $\epsilon > 0$. The running time of the algorithm is $O(a \cdot \log n)$. In Section 4.1 we present the algorithm for the scenario when all vertices know both the number of vertices n , and the arboricity at the beginning of computation. In Section 4.2 the algorithm is extended to the scenarios in which the arboricity or the number of vertices is not known in advance. The number of colors in the extended algorithm is not affected, and the running time grows only by a constant factor.

4.1 Known Arboricity

Set $A = \lfloor (2 + \epsilon) \cdot a \rfloor$. We say that a color c is *admissible* for a vertex v with respect to the vertex set H if each neighbor of v in $G(H)$ has a color different from c . We will prove that whenever a vertex is required to choose an admissible color by the algorithm, there is at least one such a color in the range $1, 2, \dots, A + 1$.

The algorithm starts by executing Procedure Forests-Decomposition with the input parameter $a = a(G)$. This invocation returns an H -partition of G of size $\ell \leq \lfloor \frac{2}{\epsilon} \log n \rfloor$ and degree at most A . Then, for each index i , the graph $G_i = G(H_i)$ induced by the set H_i is colored using the KW $(\Delta + 1)$ -coloring algorithm (see Section 2.1). By Lemma 34, for all i , $i = 1, 2, \dots, \lfloor \frac{2}{\epsilon} \log n \rfloor$, the

subgraph G_i satisfies $\Delta(G_i) \leq A$. Hence the algorithm colors each graph G_i with at most $A + 1$ colors. The resulting coloring is not necessarily a legal coloring for the entire network G . We then convert it into a legal $(A + 1)$ -coloring for G using the subroutine *Recolor*. The latter subroutine accepts as input the H -partition H_1, H_2, \dots, H_ℓ that satisfies the above properties, with each set H_i being $(A + 1)$ -colored legally. Procedure *Recolor* merges these $(A + 1)$ colorings of H_1, H_2, \dots, H_ℓ into a unified legal $(A + 1)$ -coloring of the entire vertex set $V = \bigcup_{i=1}^{\ell} H_i$.

The vertices of the set H_ℓ retain their colors. Vertices of the sets $H_1, H_2, \dots, H_{\ell-1}$ are recolored iteratively. On the first iteration vertices of the set $H_{\ell-1}$ are recolored, and in the end of this iteration the set $H_{\ell-1} \cup H_\ell$ is $(A + 1)$ -colored legally. More generally, for $i = 1, 2, \dots, \ell - 1$, before the iteration i starts the set $\bigcup_{j=\ell-i+1}^{\ell} H_j$ is $(A + 1)$ -colored legally. In iteration i vertices of the set $H_{\ell-i}$ are recolored, and in the end of this iteration the set $\bigcup_{j=\ell-i}^{\ell} H_j$ is $(A + 1)$ -colored legally. The algorithm maintains also an auxiliary set W of vertices that were already recolored. Before the iteration i starts, $W = \bigcup_{j=\ell-i+1}^{\ell} H_j$, and during the iteration i it holds that $\bigcup_{j=\ell-i+1}^{\ell} H_j \subseteq W \subseteq \bigcup_{j=\ell-i}^{\ell} H_j$.

To recolor the set $H_{\ell-i}$ (on the i th iteration of Procedure *Recolor*), the algorithm uses the $(A + 1)$ -coloring φ of $H_{\ell-i}$ that was computed on step 2. Specifically, the algorithm recolors one color class of $H_{\ell-i}$ at a time. It starts with finding (in parallel) an admissible color from the set $\{1, 2, \dots, A + 1\}$ with respect to W for every vertex $v \in H_{\ell-i}$ such that $\varphi(v) = 1$.

Observe that for every vertex $v \in H_{\ell-i}$, $\deg(v, W) \leq \deg(v, \bigcup_{j=\ell-i}^{\ell} H_j) \leq A$, and thus, there necessarily exists an admissible color for v with respect to W in the set $\{1, 2, \dots, A + 1\}$. In addition, since φ is a legal coloring of $H_{\ell-i}$, it follows that the vertex set $H_{\ell-i}^1 = \{v \in H_{\ell-i} \mid \varphi(v) = 1\}$ is an independent set, and thus vertices of $H_{\ell-i}^1$ can be recolored in parallel. Once $H_{\ell-i}^1$ is recolored, the algorithm proceeds to recoloring $H_{\ell-i}^2 = \{v \in H_{\ell-i} \mid \varphi(v) = 2\}$, $H_{\ell-i}^3 = \{v \in H_{\ell-i} \mid \varphi(v) = 3\}$, ..., $H_{\ell-i}^{A+1} = \{v \in H_{\ell-i} \mid \varphi(v) = A + 1\}$. Later we argue that the resulting $(A + 1)$ -coloring of $\bigcup_{j=\ell-i}^{\ell} H_j$ is legal.

The pseudo-code of Procedure *Arb-Color* is provided below.

Algorithm 4 Procedure *Arb-Color*(a, ϵ)

- 1: $\mathcal{H} = (H_1, H_2, \dots, H_\ell) := \text{Forests-Decomposition}(a, \epsilon)$.
 - 2: In parallel, color each graph G_i , $i = 1, 2, \dots, \ell$, with $A + 1$ colors using the KW coloring algorithm. Denote the resulting colorings φ_i , $i = 1, 2, \dots, \ell$.
 - 3: *Recolor*(\mathcal{H}).
-

Algorithm 5 Procedure Recolor ($\mathcal{H} = (H_1, H_2, \dots, H_\ell)$)

```

1:  $W := \emptyset$ 
2: for  $i := \ell - 1$  downto 1 do
3:   for round  $k := 1$  to  $A + 1$  do
4:     for each vertex  $v$  in  $H_i$  such that  $\varphi_i(v) = k$  (in parallel)
       do
5:       recolor  $v$  with a color from  $\{1, 2, \dots, A + 1\}$  that is admissible with respect to  $W$ 
6:        $W := W \cup \{v\}$ 
7:     end for
8:   end for
9: end for

```

The next corollary follows directly from Lemma 34.

Corollary 41. *For and index i , $i = 1, 2, \dots, \ell$, and any coloring of the vertices of G , legal or illegal, each vertex v that belongs to H_i has an admissible color in the range $1, 2, \dots, A + 1$ with respect to $\bigcup_{j=i}^{\ell} H_j$.*

The correctness of Procedure Arb-Color is proven in the next theorem.

Theorem 42. *Procedure Arb-Color produces a legal $(A + 1)$ -coloring.*

Proof Step 1 of Algorithm 4 divides the vertex set V of the graph G into $\ell = O(\log n)$ sets H_i . By Lemma 34, for each index i , $i = 1, 2, \dots, \ell$, the maximum degree of $G_i = G(H_i)$ is at most A . Step 2 of Algorithm 4 produces a legal $(A + 1)$ -coloring for each G_i , $i = 1, 2, \dots, \ell$. We prove by induction on i that Procedure Recolor produces a legal $(A + 1)$ -coloring for the graph induced by $H_{\ell-i} \cup H_{\ell-i+1} \cup \dots \cup H_\ell$.

Base ($i = 0$): Step 2 of Procedure Arb-Color produces a legal coloring for H_ℓ . This coloring does not change in step 3. Therefore, when the algorithm terminates, G_ℓ is $(A + 1)$ -colored legally.

Induction step: Let φ denote the $(A + 1)$ -coloring of the graph $G(\bigcup_{j=\ell-i+1}^{\ell} H_j)$ produced by the first $i - 1$ iterations of Procedure Recolor. By the induction hypothesis, φ is a legal $(A + 1)$ -coloring. Also, let $\varphi_{\ell-i}$ denote the legal $(A + 1)$ -coloring of $G_{\ell-i}$ produced on step 2 of Procedure Arb-Color.

We argue that the i th iteration produces a legal $(A + 1)$ -coloring φ' for $G(\bigcup_{j=\ell-i}^{\ell} H_j)$. Consider two neighboring vertices u, v in $\bigcup_{j=\ell-i}^{\ell} H_j$. If they both belong to $\bigcup_{j=\ell-i+1}^{\ell} H_j$ then their colors do not change during the i th iteration, and so $\varphi'(u) = \varphi(u) \neq \varphi(v) = \varphi'(v)$, as required. If they both belong to $H_{\ell-i}$ then $\varphi_{\ell-i}(u) \neq \varphi_{\ell-i}(v)$. In other words, in this case u and v were colored differently before the i th iteration has started. Hence u and v select their respective colors $\varphi'(u)$ and $\varphi'(v)$ on different rounds of the i th iteration.

Suppose without loss of generality that v selects a color after u does so. Since v selects an admissible color $\varphi'(v)$ with respect to W and $u \in W$ is a neighbor of v , it follows that $\varphi'(u) \neq \varphi'(v)$.

Finally, we are left with the case that one of the vertices u and v belongs to $H_{\ell-i}$, and the other to $\bigcup_{j=\ell-i+1}^{\ell} H_j$. Suppose without loss of generality that $u \in H_{\ell-i}$ and $v \in \bigcup_{j=\ell-i+1}^{\ell} H_j$. In this case the color of v does not change on the i th iteration, i.e., $\varphi'(v) = \varphi(v)$. When the vertex u sets its color $\varphi'(u)$ it selects an admissible color. Since v is a neighbor of u , it follows that $\varphi'(u) \neq \varphi'(v)$, and we are done. \square

Recall that $A = O(a)$, and thus, Procedure Arb-Color produces an $O(a)$ -coloring of the input graph.

Lemma 43. *The time complexity of Procedure Arb-Color is $O(a \log n)$.*

Proof By Corollary 311, Procedure Forests- Decomposition requires $O(\log n)$ rounds. Let i be the index such that the maximum degree of G_i is the largest among G_1, G_2, \dots, G_ℓ . Since the graphs G_1, G_2, \dots, G_ℓ are colored in parallel, step 2 of Algorithm 4 requires $O(\Delta(G_i) \cdot \log \Delta(G_i) + \log^* n)$ rounds. In addition, the maximum degree of G_i is at most A for every index $i = 1, 2, \dots, \ell$, and $A = O(a)$. Hence, it follows that the time complexity of step 2 is $O(a \log a + \log^* n)$. Step 3 of Algorithm 4, Procedure Recolor, invokes $\ell - 1 = O(\log n)$ iterations, each running for $A + 1$ rounds. Hence this step requires $O(a \log n)$ rounds. \square

We summarize this section with the following theorem.

Theorem 44. *For a graph G with arboricity $a = a(G)$, and a positive parameter ϵ , $0 < \epsilon \leq 2$, Procedure Arb-Color(a, ϵ) computes an $O(a)$ coloring of G in time $O(a \log n)$.*

We remark that invoking Procedure Arb-Color with $q > 2$ as second parameter results in inferior results than those given by Theorem 44.

4.2 General Scenarios

In this section we extend Procedure Arb-Color described in Section 4.1 to the scenario when the value of the graph arboricity is not known to the vertices before the beginning of the computation. They are, however, assumed to know the number of vertices n , or at least a polynomial estimate of n .

The running time of our algorithm, Procedure *General-Arb-Color*, for $O(a)$ -coloring in this scenario is

still $O(a \log n)$. Similarly to Procedure Arb-Color, Procedure General-Arb-Color consists of three steps. In the first step Procedure General-Forests-Decomposition is used instead of Procedure Forests-Decomposition. (See Section 3.2.) This procedure returns an H -partition H_1, H_2, \dots, H_ℓ with $\ell = O(\log a \log n)$ and degree at most $2A$.

In the second step subgraphs $G_i = G(H_i)$, $i = 1, 2, \dots, \ell$, are colored in parallel using the KW coloring algorithm. To run properly the KW coloring algorithm, vertices need to know an upper bound on the maximum degree of the underlying graph. (The KW algorithm invokes Linial's algorithm [18] as a subroutine, and Linial's algorithm needs this information.) Let m be the index of the class such that $H_i \in \mathcal{C}_m$. By Lemma 313, $\Delta(G_i) \leq (2 + \epsilon) \cdot 2^m$. Since all vertices of H_i know their class index m , it follows that they can compute the upper bound $\Delta_m = (2 + \epsilon) \cdot 2^m$, and employ it for running the KW coloring algorithm. The resulting coloring will use at most $\Delta_m + 1 = ((2 + \epsilon) \cdot 2^m + 1)$ colors.

Another difficulty arises on the third (recoloring) step. In Procedure Arb-Color the vertices of $H_{\ell-1}$ recolor themselves in the beginning, then the vertices of $H_{\ell-2}$ do, etc. However, if the arboricity a is not known to the vertices, a vertex v has no way to compute $\ell = O(\log a \log n)$ and consequently, it cannot deduce the index of the round in which v should recolor itself.

To overcome this difficulty, we modify the algorithm as follows. Consider a vertex $v \in H_i$, and let φ_i be the coloring of H_i computed on step 2. The vertex v will recolor itself once it learns that every neighbor u of v that belongs to H_j for $j > i$ recolored itself, and moreover, that every vertex $w \in H_i$ with $\varphi_i(w) > \varphi_i(v)$ did so as well. This completes the description of the modified algorithm.

Observe that this rule guarantees that when a vertex $v \in H_i$ recolored itself, all its neighbors that have already been recolored belong to $\bigcup_{j=i}^{\ell} H_j$. Consequently, by Lemma 313, at this point v has at most $2A$ recolored neighbors. Thus there necessarily exists an admissible color from $\{1, 2, \dots, 2A + 1\}$ for v with respect to the set of already recolored vertices.

Lemma 45. *After each recoloring step the set W of already recolored vertices is $(2A + 1)$ -colored legally.*

Proof The proof is by induction on the number of recoloring steps.

At the beginning, before the first recoloring step, $W = \emptyset$, and the statement holds vacuously.

Consider some recoloring step. We only need to show that no two neighboring vertices v and u recolor themselves on this step. Suppose without loss of generality

that the H -index i_v of v is no greater than the H -index i_u of u , i.e., $i_v \leq i_u$. If $i_v < i_u$, and u recolored itself on this step, then v does not recolor itself as it has an unrecolored neighbor with a larger H -index.

If $i = i_v = i_u$ then suppose without loss of generality that $\varphi_i(v) < \varphi_i(u)$. (Recall that φ_i is a legal coloring of H_i computed at step 2.) Then, again, if u recolored itself on this step then v does not do so, and we are done. \square

Next, we analyze the running time of the algorithm.

Lemma 46. *The running time is $O(a \log n)$.*

Proof By Corollary 311, the first step, Procedure General-Forests-Decomposition, requires $O(\log n)$ time. To analyze the running time of the second step, recall that no vertex joins a set H_i of class m with $m > \lfloor \log 2a \rfloor$. (See the proof of Lemma 313.) Coloring the graph $G_i = G(H_i)$ using the KW coloring algorithm with an upper bound Δ_m on the maximum degree requires $O(\Delta_m \cdot \log \Delta_m + \log^* n)$ time. Since $\Delta_m = (2 + \epsilon) \cdot 2^m$, the overall running time of the second step is $O(a \cdot \log a + \log^* n)$.

Finally, the running time T of the recoloring step satisfies $T \leq \sum_{m=0}^{\lfloor \log 2a \rfloor} T_m$, where for each index $m = 0, 1, \dots, \lfloor \log 2a \rfloor$, T_m is the time required to recolor all sets H_i of class m . Recall that each set H_i of class m is $(\Delta_m + 1)$ -colored, for $\Delta_m = \lfloor (2 + \epsilon) \cdot 2^m \rfloor$, and that there are at most $O(\log n)$ sets in each class. Hence, for each $m = 0, 1, \dots, \lfloor \log 2a \rfloor$, $T_m \leq O(\log n) \cdot (\Delta_m + 1) = O(\log n) \cdot 2^m$. Hence, $T \leq \sum_{m=0}^{\lfloor \log 2a \rfloor} T_m = O(a \cdot \log n)$. \square

Similarly to Section 3.2, it is easy to see that the number of employed colors can be reduced to $\lfloor (2 + \epsilon) \cdot a \rfloor$ for as small constant $\epsilon > 0$ as one wishes.

Finally, consider the most general scenario in which the vertices provided only with a polynomial estimate N of the number of vertices, $n^{1/c} \leq N \leq n^c$ for a universal constant $c > 1$. In this case we replace all occurrences of n in Procedure General-Arb-Color by N^c . It is easy to verify that the modified algorithm is correct, and that the running time grows only by a constant factor.

We summarize this section with the following corollary.

Corollary 47. *Procedure General-Arb-Color produces $O(a)$ -coloring in $O(a \log n)$ time.*

5 Faster Coloring

In this section we present two algorithms. Both algorithms exhibit tradeoffs between the running time and the number of colors that they employ. For a positive

parameter t , $1 \leq t \leq a$, our first algorithm, Procedure *Tradeoff-Color*, computes an $O(t \cdot a)$ -coloring in time $O(\frac{a}{t} \cdot \log n + a \log a)$. Our second algorithm, Procedure *Tradeoff-Arb-Linial*, achieves an $O(q \cdot a^2)$ -coloring within time $O(\frac{\log n}{\log q} + \log^* n)$. In Section 5.1 we assume that the arboricity and the number of vertices are known in advance. In Section 5.2 we extend those algorithms to general scenarios.

5.1 Known Arboricity

5.1.1 Procedure *Tradeoff-Color*

Similarly to Procedure *Arb-Color* (Algorithm 4), Procedure *Tradeoff-Color* consists of three steps. Moreover, steps 1 and 2 are exactly the same as in Procedure *Arb-Color*, and the only difference is that in step 3 it invokes Procedure *Tradeoff-Recolor* instead of Procedure *Recolor*.

Similarly to Procedure *Recolor*, Procedure *Tradeoff-Recolor* accepts as input the H -partition $\mathcal{H} = \{H_1, H_2, \dots, H_\ell\}$ of the graph G computed by Procedure *Forests-Decomposition* in step 1. Both Procedure *Recolor* and Procedure *Tradeoff-Recolor* proceed iteratively, and in both procedures vertices of the set H_ℓ retain their colors, and on iteration i , $i = 1, 2, \dots, \ell - 1$, vertices of the set $H_{\ell-i}$ are recolored. The difference between the two procedures is that while in Procedure *Recolor* each color class of $H_{\ell-i}$ is recolored in a separate round, Procedure *Tradeoff-Recolor* recolors roughly t color classes of $H_{\ell-i}$ on the same round. Specifically, Procedure *Tradeoff-Color* groups the $(A + 1)$ color classes C_1, C_2, \dots, C_{A+1} of $H_{\ell-i}$ into $p = \lceil \frac{A+1}{t} \rceil$ disjoint subsets S_1, S_2, \dots, S_p . Each subset S_j , $j = 1, 2, \dots, p$, contains the color classes C_r with indices $r \in I_j = \{(j-1)t + 1, (j-1)t + 2, \dots, \min\{j \cdot t, p\}\}$.

The i th iteration of Procedure *Tradeoff-Recolor* continues for p rounds. In round j , $j = 1, 2, \dots, p$, vertices of color classes C_r , $r \in I_j$, are recolored in parallel. To guarantee that no pair of neighboring vertices $u \in C_r$, $w \in C_{r'}$, $r \neq r'$, $r, r' \in I_j$, will select the same color, the color classes $\{C_r \mid r \in I_j\}$ are assigned disjoint palettes $\{\mathcal{P}_r \mid r \in I_j\}$, $\mathcal{P}_r = \{(A+1)(r-1-(j-1)t) + 1, (A+1)(r-1-(j-1)t) + 2, \dots, (A+1)(r-1-(j-1)t) + (A+1)\}$.

In other words, the color class $C_{(j-1)t+1}$ is assigned the palette $\mathcal{P}_{(j-1)t+1} = \{1, 2, \dots, A+1\}$, the color class $C_{(j-1)t+2}$ is assigned the palette $\mathcal{P}_{(j-1)t+2} = \{(A+1) + 1, (A+1) + 2, \dots, 2(A+1)\}$, etc.

Consider a vertex $v \in C_r$, $r \in I_j$. In round j of the i th iteration the vertex v selects an admissible color

from its palette \mathcal{P}_r with respect to the set W of already recolored vertices. This completes the description of Procedure *Tradeoff-Recolor*.

Since each palette \mathcal{P}_r contains $(A + 1)$ colors, and $\deg(v, W) \leq \deg(v, \bigcup_{j=\ell-i}^\ell H_j) \leq A$, it follows that there necessarily exists an admissible color for v with respect to W . An inductive argument similar to the one employed in the proof of Theorem 42 shows that Procedure *Tradeoff-Color* produces a legal coloring.

For an upper bound on the running time, observe that Procedure *Tradeoff-Recolor* runs for $O(\log n)$ iterations, and each iteration requires $\lceil \frac{A+1}{t} \rceil = O(\frac{a}{t})$ rounds. Hence the running time of Procedure *Tradeoff-Recolor* is $O(\frac{a}{t} \log n)$. The running time of step 1 of Procedure *Tradeoff-Color*, that is, of Procedure *Forests-Decomposition*, is $O(\log n)$. Finally, step 2 of Procedure *Tradeoff-Color* (see step 2 of Procedure *Arb-Color*, Algorithm 4) requires $O(a \log a + \log^* n)$ rounds. Hence the overall running time of Procedure *Tradeoff-Color* is $O(\frac{a}{t} \cdot \log n + a \log a)$.

However, the improved running time of Procedure *Tradeoff-Color* comes with a price. Specifically, since we used t disjoint palettes of size $A + 1$ each, the number of colors that were used is $t \cdot (A + 1) = O(t \cdot a)$. We summarize the properties of Procedure *Tradeoff-Color* in the following theorem.

Theorem 51. *For a positive parameter t , $1 \leq t \leq a$, Procedure *Tradeoff-Color* produces a legal $O(a \cdot t)$ -coloring of the input graph in time $O(\frac{a}{t} \cdot \log n + a \log a)$.*

5.1.2 Procedures *Arb-Linial* and *Tradeoff-Arb-Linial*

Observe that by substituting $t = a$ in Theorem 51 we obtain an $O(a^2)$ -coloring algorithm with running time $O(\log n + a \log a)$. Next, we present another $O(a^2)$ -coloring algorithm that has an even better running time of $O(\log n)$. The improved algorithm, Procedure *Arb-Linial*, like the algorithm of Linial [18], relies on the following combinatorial result by Erdős et al. [8]. (The proof can also be found in [18]).

Theorem 52. *[18, 8] For positive integers n' and r , $n' > r$, there exists a family $\hat{Q} = \hat{Q}(n', r)$ of n' subsets of $\{1, 2, \dots, \lceil 5r^2 \cdot \log n' \rceil\}$ that satisfies that for every $r + 1$ sets $Q_0, Q_1, \dots, Q_r \in \hat{Q}$, $Q_0 \not\subseteq \bigcup_{i=1}^r Q_i$.*

Our algorithm consists of two steps. In the first step it constructs a forests-decomposition $\mathcal{F} = \{F_1, F_2, \dots, F_A\}$ of the input graph G , and on the second step it uses \mathcal{F} for computing the $O(a^2)$ -coloring of G . The first (forests-decomposition) step entails an invocation of Procedure *Forests-Decomposition* with the input parameter $a = a(G)$ and ϵ , $0 < \epsilon \leq 2$. By Corollary 311, this invocation produces a forests-decomposition

F with $A \leq \lfloor (2 + \epsilon) \cdot a \rfloor$ forests. For a vertex v and a forest F_i , $i \in \{1, 2, \dots, A\}$, such that $v \in V(F_i)$ and such that v has a parent in F_i , let $\pi_i(v)$ denote the parent of v in F_i . Finally, let $\Pi(v)$ denote the set of all parents of v .

The second (coloring) step of the algorithm proceeds iteratively. Initially, each vertex v uses its distinct identity number $\text{ID}(v)$ as its color. In each round vertices recolor themselves while maintaining the legality of the coloring. The number of colors used by these coloring is gradually reduced from n to $O(a^2)$. Similarly to the algorithm of Linial [18], the reduction in the number of colors consists of two phases. The first phase continues for $O(\log^* n)$ rounds, and reduces the number of colors from n to $O(a^2 \log a)$. The second phase lasts for just one single round, and reduces the number of colors to $O(a^2)$.

In each round of the coloring step each vertex v sends its current color to all its neighbors. Fix a round R and a vertex v , and let $\varphi(v)$ and $\{\varphi(u) \mid u \in \Pi(v)\}$ be the colors of v and the colors of its parents in forests F_1, F_2, \dots, F_A in the beginning of round R , respectively. Also, let p be the current upper bound on the number of colors employed by the algorithm. (Initially, $p = n$.) Based on the colors $\varphi(v)$ and $\{\varphi(u) \mid u \in \Pi(v)\}$, and on parameters p and A , the vertex v computes the set system $\hat{Q}(p, A)$ whose existence is guaranteed by Theorem 52. This computation is performed by v locally, involving no communication whatsoever. Then the vertex v selects an arbitrary new color $\varphi'(v)$ from $Q_{\varphi(v)} \setminus \bigcup \{Q_{\varphi(u)} \mid u \in \Pi(v)\}$. By Theorem 52, the set $Q_{\varphi(v)} \setminus \bigcup \{Q_{\varphi(u)} \mid u \in \Pi(v)\}$ is not empty. Moreover, by Theorem 52, $\varphi'(v) \in \{1, 2, \dots, \lceil 5A^2 \cdot \log p \rceil\}$, and thus, the vertex v updates its upper bound on the number of employed colors from p to $\lceil 5A^2 \cdot \log p \rceil$.

After $O(\log^* n)$ rounds the number of colors reduces to $O(A^2 \log A)$. Employing another related set system \mathcal{T} exactly in the same way as described above, our algorithm reduces the number of colors to $O(A^2)$. The required set system \mathcal{T} is given by the following theorem.

Theorem 53. [18, 8]: *There exists a collection \mathcal{T} of $O(A^2 \log A)$ subsets of $\{1, 2, \dots, O(A^2)\}$ such that for every $A + 1$ subsets $T_0, T_1, \dots, T_A \in \mathcal{T}$, $T_0 \not\subseteq \bigcup_{i=1}^A T_i$.*

We remark that Procedure Arb-Linial is essentially a composition of Linial $O(\Delta^2)$ -coloring algorithm with our algorithm for computing forests-decomposition. The main difference of the coloring step of Procedure Arb-Linial from the original Linial coloring algorithm is that in Procedure Arb-Linial each vertex considers only the colors of its *parents* in forests F_1, F_2, \dots, F_A . On the

other hand, in the algorithm of Linial each vertex considers the colors of *all its neighbors*.

The next lemma shows that all colorings produced throughout the algorithm are legal.

Lemma 54. *Suppose that the coloring φ is legal. Then the coloring φ' is legal as well.*

Proof Consider an edge $e = (u, v) \in E$. Since $\mathcal{F} = \{F_1, F_2, \dots, F_A\}$ is a partition of the edge set E into disjoint forests, there exist an index $i \in \{1, 2, \dots, A\}$ such that $e \in E(F_i)$. Suppose without loss of generality that u is the parent of v . Then $u \in \Pi(v)$, and consequently $\varphi'(v) \in Q_{\varphi(v)} \setminus Q_{\varphi(u)}$. On the other hand, $\varphi'(u) \in Q_{\varphi(u)}$ and so $\varphi'(v) \neq \varphi'(u)$, as required. \square

By Corollary 311, the running time of Procedure Forests-Decomposition is $O(\log n)$. The coloring step of Procedure Arb-Linial requires $O(\log^* n)$ time. Hence the overall running time of the algorithm Arb-Linial is $O(\log n)$. Observe that $A = O(a)$, and thus, the resulting coloring is an $O(a^2)$ coloring. To summarize, we have proved the following theorem.

Theorem 55. *Procedure Arb-Linial computes a legal $O(a^2)$ -coloring in $O(\log n)$ time.*

Next, we present a variant of Procedure Arb-Linial, Procedure *Tradeoff-Arb-Linial*, that provides a tradeoff between the number of colors and the running time. Procedure Tradeoff-Arb-Linial accepts as input $a = a(G)$, and a parameter q , $q > 2$. On its first step it invokes Procedure Forests-Decomposition with the same pair of parameters a and q . By Corollary 312, this procedure partitions the edge set of G into at most $(2+q) \cdot a$ forests, and it does so within time $O(\frac{\log n}{\log q})$. The second recoloring step of Procedure Tradeoff-Arb-Linial is very similar to that of Procedure Arb-Linial. The only difference is that the value of A is now $(2+q) \cdot a$ and not $\lfloor (2 + \epsilon) \cdot a \rfloor$ as it was in Procedure Arb-Linial. By the same argument, Procedure Tradeoff-Arb-Linial computes an $O(A^2 \cdot q^2) = O(a^2 \cdot q^2)$ -coloring within time $O(\frac{\log n}{\log q} + \log^* n)$.

Finally, set $q' = q^2$. We get an $O(a^2 \cdot q')$ -coloring within time $O(\frac{\log n}{\log q'} + \log^* n)$.

Corollary 56. *For an n -vertex graph G with arboricity a and a parameter q , $2 < q \leq O(\sqrt{\frac{n}{a}})$, Procedure Tradeoff-Arb-Linial invoked with parameters a and q computes $O(a^2 \cdot q)$ -coloring in time $O(\frac{\log n}{\log q} + \log^* n)$.*

In particular, by substituting $q = n^{1/\log^* n}$, we get an $O(n^{1/\log^* n})$ -coloring of graphs with bounded arboricity in just $O(\log^* n)$ time.

5.2 General Scenarios

5.2.1 Procedure Tradeoff-Color

It is easy to verify that the same considerations that were applied to Procedure Arb-Color in Section 4.2 can be applied to Procedure Tradeoff-Color. Consequently, Theorem 51 is applicable in the more general scenarios as well. In particular, it is applicable if the vertices are provided with only a polynomial estimate N on the number of vertices n instead of the number of vertices n itself, and are not provided with the arboricity a of the input graph.

5.2.2 Procedure Arb-Linial

Observe that Procedure Arb-Linial is applicable if instead of the arboricity a the vertices are provided with an upper bound $a' > a$ on the arboricity. However, in this case the argument of Theorem 55 guarantees that the algorithm computes a legal coloring that uses at most $O((a')^2)$ colors, and not necessarily $O(a^2)$.

We adapt Procedure Arb-Linial to the scenario when the arboricity a is not known to the vertices before the computation starts. Let $c, c > 0$, be the universal constant hidden by the O -notation in the expression " $O(a^2)$ -coloring" in Theorem 55. (In other words, the implied coloring uses at most $c \cdot a^2$ colors.)

To adapt the first (forests-decomposition) step, we employ Procedure General-Forests-Decomposition instead of Procedure Forests-Decomposition. A difficulty arises, however, in the second (coloring) step, when the vertices need to compute the set system $\hat{Q}(p, A)$ without knowing the value of A . We show that this difficulty can be overcome without increasing the running time of the algorithm, if we allow the algorithm to use messages of a slightly larger size, specifically, $O(\log^2 n)$. In addition, we show that using messages of size at most $O(\log n)$, one can still complete the coloring step within only a slightly larger running time of $O(\log n \cdot \log^* n)$.

To implement the coloring step without knowing A within the same running time by using larger messages we replace the coloring step of Procedure Arb-Linial with $\lceil \log n \rceil + 1$ invocations $\mathcal{A}_1, \mathcal{A}_2, \dots, \mathcal{A}_{\lceil \log n \rceil + 1}$ of the original coloring step, with each invocation \mathcal{A}_i using the arboricity parameter $A_i = 2^i$, for $i = 0, 1, \dots, \lceil \log n \rceil + 1$. These invocations are executed in parallel and employ distinct palettes \mathcal{P}_i , $i = 0, 1, \dots, \lceil \log n \rceil + 1$. Specifically, the invocation \mathcal{A}_0 ends up coloring the graph with colors from the palette $\mathcal{P}_0 = \{1, 2, \dots, c \cdot (A_0)^2\}$, the invocation \mathcal{A}_1 employs the palette $\mathcal{P}_1 = \{|\mathcal{P}_0| + 1, |\mathcal{P}_0| + 2, \dots, |\mathcal{P}_0| + c \cdot (A_1)^2\}$, etc.

Observe that for indices i such that $A_i \geq A$, the invoca-

tion \mathcal{A}_i succeeds to construct a legal $(c \cdot (A_i)^2)$ -coloring of the graph in time $O(\log n)$. For an index i such that $A_i < A$, there might be a situation that there is no admissible color for some vertex v in the invocation \mathcal{A}_i . To handle such situations we add to the algorithm a "failure" rule. Specifically, if a vertex v recognizes that it has no admissible color in an invocation \mathcal{A}_i , for some i , it selects an arbitrary color γ from the palette \mathcal{P}_i , and sets its color $\varphi_i(v)$ in the invocation \mathcal{A}_i to be equal to γ .

Finally, once all the invocations have terminated, and a vertex v and all its neighbors have selected their colors in each invocation, v selects its final color $\varphi(v)$ as follows. $\varphi(v)$ is equal to $\varphi_m(v)$ for the smallest index m of an invocation \mathcal{A}_m in which for every neighbor u of v in G , $\varphi_m(v) \neq \varphi_m(u)$ holds. This completes the description of the algorithm. The index $m = m(v)$ as above will be henceforth referred to as the *index* of v .

Next, we show that the algorithm is correct.

Lemma 57. *The coloring φ is legal.*

Proof The invocation with index $j = \lceil \log n \rceil$ satisfies $2^j \geq n \geq a(G)$. Hence the coloring φ_j that it produces is legal. Consequently, for each vertex v there is an invocation with index $m \leq j$ such that $\varphi_m(v) \neq \varphi_m(u)$, for each neighbor u of v .

Consider a pair $u, w \in V$ of neighboring vertices. Let m (respectively, m') be the index such that $\varphi(u) = \varphi_m(u)$ (resp., $\varphi(w) = \varphi_{m'}(w)$). First, consider the case that $m = m'$. It follows that, $\varphi_m(u) \neq \varphi_m(w)$ because the invocation of index $m = m(u)$ satisfies $\varphi_m(u) \neq \varphi_m(z)$ for every neighbor z of u . Hence $\varphi(u) \neq \varphi(w)$. Suppose now that $m \neq m'$. However, then $\varphi(u) = \varphi_m(u) \in \mathcal{P}_m$, $\varphi(w) = \varphi_{m'}(w) \in \mathcal{P}_{m'}$, and the palettes \mathcal{P}_m and $\mathcal{P}_{m'}$ are disjoint. Thus, $\varphi(u) \neq \varphi(w)$, completing the proof. \square

Observe that for every vertex v , the index $m = m(v) \leq \log(2A)$. It follows that the overall number of colors used by the algorithm is at most

$$\sum_{i=0}^{\lceil \log(2A) \rceil} c \cdot (2^i)^2 = O(A^2) = O(a^2). \quad (1)$$

The running time is $O(\log n)$. Note, however, that running $\lceil \log n \rceil + 1$ invocations $\mathcal{A}_0, \mathcal{A}_1, \dots, \mathcal{A}_{\lceil \log n \rceil}$ in parallel requires sending $\lceil \log n \rceil + 1$ messages of size $O(\log n)$ each on each round, over each edge of the network. In other words, the messages sent by this algorithm may be of size $O(\log^2 n)$.

Alternatively, one may opt to execute the $\lceil \log n \rceil + 1$ invocations $\mathcal{A}_0, \mathcal{A}_1, \dots, \mathcal{A}_{\lceil \log n \rceil}$ one after another instead of executing them in parallel. Since each execution requires $O(\log^* n)$ time, the overall running time increases only slightly to $O(\log n \cdot \log^* n)$.

We summarize this argument in the following theorem.

Theorem 58. *Procedure Arb-Linial is applicable in the scenario when the vertices do not know the arboricity a of the graph before the algorithm starts. In this scenario the procedure can **either** compute an $O(a^2)$ -coloring of the graph in time $O(\log n)$ using messages of size $O(\log^2 n)$ **or** compute an $O(a^2)$ -coloring in time $O(\log n \cdot \log^* n)$ using messages of size $O(\log n)$.*

The algorithm extends also in a straightforward way to the scenario in which instead of the number of vertices n , the vertices are provided with a polynomial estimate N of n .

Similarly, Procedure Tradeoff-Arb-Linial can also be adapted to the scenario when the arboricity a is unknown to the vertices before the computation starts, but n is known. If we allow messages of size $O(\log^2 n)$, by the same considerations as with Procedure Arb-Linial, Procedure Tradeoff-Arb-Linial computes $O(a^2 \cdot q^2)$ -coloring in time $O(\frac{\log n}{\log q})$. However, if message size is restricted to $O(\log n)$, then sequential executions $\mathcal{A}_0, \mathcal{A}_1, \dots, \mathcal{A}_{\lceil \log n \rceil}$ require $O(\log n \cdot \log^* n)$ time. Consequently, a straight-forward adaptation of Procedure Tradeoff-Arb-Linial to this scenario results in $O(a^2 \cdot q^2)$ -coloring within time $O(\log n \cdot \log^* n)$. This, however, is inferior to the results in Theorem 58.

To provide a meaningful tradeoff for this scenario too, we modify the algorithm in the following way. Set $\delta > 0$ to be an arbitrarily small real constant, and let $t = \log^{\delta/2} n$ be a parameter. Set $A'_i = t^i$, for $i = 0, 1, \dots, \left\lceil \frac{\log n}{\log t} \right\rceil + 1$. (This is instead of setting $A_i = 2^i$.) Let \mathcal{A}'_i be an invocation of Procedure Tradeoff-Arb-Linial with the arboricity parameter $A'_i, i = 0, 1, \dots, \left\lceil \frac{\log n}{\log t} \right\rceil + 1$. Invocations \mathcal{A}'_i are now executed one after another, and require overall $O(\frac{\log n}{\log \log n} \cdot \log^* n)$ time. The computation of forests-decomposition requires an additional $O(\frac{\log n}{\log q})$ time, and thus the total running time of Procedure Tradeoff-Arb-Linial in this scenario is $O(\frac{\log n}{\log \log n} \cdot \log^* n + \frac{\log n}{\log q})$.

The overall number of colors used by the algorithm is (see (1)) at most

$C = \sum_{i=0}^{\lceil \frac{\log t \cdot t \cdot A \rceil}{} } c(t^i)^2$. Since $A = a \cdot (2 + q)$, it follows that $C = O((t \cdot A)^2) = O(a^2 \cdot q^2 \cdot \log^\delta n)$. We summarize the properties of Procedure Tradeoff-Arb-Linial in this scenario by the following theorem.

Theorem 59. *Let $q > 2, \delta > 0$, be a pair of positive real numbers. In the scenario when the vertices do not know the arboricity a of the graph before the algorithm starts, Procedure Tradeoff-Arb-Linial invoked with the parameter q can **either** compute an $O(a^2 \cdot q^2)$ -coloring of the graph in time $O(\frac{\log n}{\log q} + \log^* n)$ using messages of*

*size $O(\log^2 n)$, **or** compute an $O(a^2 \cdot q^2 \cdot \log^\delta n)$ -coloring in time $O(\frac{\log n}{\log \log n} \cdot \log^* n + \frac{\log n}{\log q})$ using messages of size $O(\log n)$.*

6 MIS Algorithms

6.1 Known Arboricity

In this section we capitalize on the results of Section 5, and present an algorithm that computes an MIS in graphs with bounded arboricity in sublogarithmic time. The algorithm employs a standard reduction from MIS to coloring (see, e.g., [22], chapter 7), described below for the sake of completeness.

First, observe that by Corollary 56, for any graph with arboricity $o(\sqrt{\log n})$, a legal $o(\log n)$ -coloring can be found in $o(\log n)$ time. Then a standard technique [22] that reduces the number of colors, one color per round, can be used to achieve $(\Delta + 1)$ -coloring in additional $o(\log n)$ rounds. We summarize this fact in the following corollary.

Corollary 61. *For a graph G with arboricity $a(G) = o(\sqrt{\log n})$, both $(\Delta + 1)$ -coloring and $o(\log n)$ -coloring can be found in sublogarithmic time.*

Suppose we are given a legal p -coloring of the graph, for some positive integer p . Let U_1, U_2, \dots, U_p be the disjoint color classes, with all vertices of U_i being colored by i , for $i = 1, 2, \dots, p$. Initialize the independent set W as U_1 . The reduction algorithm proceeds iteratively, taking care of one of the color classes U_2, U_3, \dots, U_p on each of the $p - 1$ iterations. For iteration $i = 1, 2, \dots, p - 1$, before the iteration i starts, an independent set $W \subseteq \bigcup_{j=1}^i U_j$ is maintained. In iteration i each vertex $v \in U_{i+1}$ checks in parallel whether it has a neighbor $w \in W$. If it has, it decides not to join W . Otherwise it joins W . Obviously, the algorithm requires $(p - 1)$ rounds, and produces an MIS. (The proof can be found in [22], chapter 7.)

Lemma 62. *W is a maximal independent set.*

The next theorem follows directly from Corollary 61.

Theorem 63. *Consider an n -vertex graph G with arboricity $a(G) = o(\sqrt{\log n})$. Procedure Tradeoff-Arb-Linial combined with the standard reduction from an MIS to coloring, computes an MIS of G in time $o(\log n)$. Moreover, whenever $a = O(\log^{1/2-\delta} n)$, for some constant $\delta, 0 < \delta < 1/2$, the same algorithm runs in time $O(\frac{\log n}{\log \log n})$.*

Whenever $a = \Omega(\sqrt{\log n})$ we use the same reduction in conjunction with Procedure Tradeoff-Color. The running time of the resulting algorithm for computing MIS

becomes $O(\frac{a}{t} \cdot \log n + a \log a + a \cdot t)$. This expression is optimized by setting $t = \sqrt{\log n}$.

Theorem 64. *Consider an n -vertex graph G with arboricity $a(G) = \Omega(\sqrt{\log n})$. Procedure Tradeoff-Color invoked with parameters a and $t = \sqrt{\log n}$, combined with the standard reduction from MIS to coloring, computes an MIS of G in time $O(a \cdot \sqrt{\log n} + a \log a)$.*

In particular, Theorem 64 implies that an MIS can be computed deterministically in polylogarithmic time on graphs with polylogarithmic arboricity.

6.2 General Scenarios

Consider the scenario that vertices know neither a nor an upper bound a' on a , but we are allowed to use messages of size $O(\log^2 n)$. In this case, as we have shown in Section 5, Procedure Tradeoff-Arb-Linial is applicable, and it provides the same tradeoffs up to constant factors. Hence the arguments presented in this section are applicable as well. Consequently, Theorem 64 extends to the scenario when the vertices do not know the value of a , but are allowed to use messages of size $O(\log^2 n)$.

Finally, Theorem 59 provides us with only slightly inferior tradeoff for the case that vertices do know the arboricity and message size is limited to $O(\log n)$. An analogous calculation shows that in this case, as long as $a = \log^{1/2-\delta} n$ (for an arbitrarily small $\delta > 0$) the algorithm computes MIS in time $O(\frac{\log n}{\log \log n} \cdot \log^* n)$.

7 Lower Bounds

In this section we build upon a fundamental result of Linial [18] and show nearly tight lower bounds on the running time required for coloring and for computing a forests-decomposition. For graphs of constant arboricity our upper and lower bounds match up to constant factors.

Theorem 71. [18] *For a pair of positive integer numbers n and d , $n - 1 \geq d$, any distributed algorithm for coloring the d -regular n -vertex tree which has running time at most $O(\log_d n)$ uses at least $\Omega(\sqrt{d})$ colors.*

Consider the family \mathcal{G} of planar graphs. Suppose that a correct algorithm for q -coloring \mathcal{G} requires at least $t(q)$ time in the worst-case. Since an unoriented $O(q^2)$ -regular tree is a planar graph, it follows that $t(q) = \Omega(\frac{\log n}{\log q})$. We conclude that q -coloring planar graphs requires $\Omega(\frac{\log n}{\log q})$ time, which matches our upper bound up to constant factors, as long as $q = O(n^{1/\log^* n})$. (See Corollary 56.)

For a positive integer parameter $a = O(n^{1/4})$ it is possible to construct an n -vertex graph with arboricity a . Let G be such a graph. Let H be a $(a^4 \cdot q^2)$ -regular tree with $\Theta(n)$ vertices, for some parameter $q = O(\sqrt{n}/a^2)$. Let J be the graph obtained by connecting the root of H with one of the vertices of G . Since $O(a^2 \cdot q)$ -coloring of H requires $\Omega(\log_{a^2 q} n) = \Omega(\frac{\log n}{\log q + \log a})$ time (by Theorem 71), and H is an induced subgraph of J , this lower bound applies also for $O(a^2 \cdot q)$ -coloring of J . Since the arboricity of J is equal to the arboricity of G , the next result follows.

See Figure 2 for an illustration.




Fig. 2. *The graph J is constructed by connecting the two graphs G and H .*

Corollary 72. *For $a = O(n^{1/4})$, and a parameter $q = O(\sqrt{n}/a^2)$, $O(a^2 \cdot q)$ -coloring n -vertex graphs with arboricity a requires $\Omega(\frac{\log n}{\log a + \log q})$ time.*

Next, we turn to lower bounds for the problem of computing forests-decompositions. For a parameter q , $q \geq 1$, let $t(q)$ be the best possible running time of a correct algorithm for computing an $O(q \cdot a)$ -forests-decomposition on graphs with a fixed arboricity a . Given an $O(q \cdot a)$ -forests-decomposition, step 2 of Procedure Arb-Linial computes an $O(q^2 \cdot a^2)$ -coloring within additional time $O(\log^* n)$. Hence the resulting algorithm \mathcal{A} computes an $O(q^2 \cdot a^2)$ -coloring within time $t(q) + O(\log^* n)$.

Let d be a positive integer value to be determined later, and consider an execution of the algorithm \mathcal{A} on a d -regular n -vertex tree. By Theorem 71, if $t(q) + O(\log^* n) = O(\frac{\log n}{\log d})$, then $O(q^2 \cdot a^2) = \Omega(\sqrt{d})$.

Set $d = c \cdot q^4 \cdot a^4$, for a sufficiently small constant c so that the inequality $O(q^2 \cdot a^2) = \Omega(\sqrt{d})$ will not hold. Then $t(q) = \Omega(\frac{\log n}{\log d}) - O(\log^* n) = \Omega(\frac{\log n}{\log q + \log a}) - O(\log^* n)$.

Theorem 73. *For $a = O(n^{1/4})$, and a parameter q , $q = O(n^{1/4}/a)$, computing an $O(q \cdot a)$ -forests-decomposition for n -vertex graph with arboricity a requires $\Omega(\frac{\log n}{\log q + \log a}) - O(\log^* n)$ time.*

8 Conclusions and Open Questions

In this paper we have presented efficient deterministic MIS and coloring algorithms for the family of graphs with arboricity at most polylogarithmic in n . Although this is a wide and important family of graphs, the question regarding the existence of efficient deterministic algorithms for yet wider families remains open. In particular, it is currently not clear whether it is possible to extend our results to graphs with arboricity at most $2^{\log^\epsilon n}$ for some constant $\epsilon > 0$. Also, we have devised a sublogarithmic time MIS algorithm on graphs with arboricity at most $o(\sqrt{\log n})$. It would be interesting to extend this result to graphs with arboricity $o(\log n)$.

The lower bounds that we have presented are tight for the problems of $O(a)$ -forests-decomposition and $O(a^2)$ -coloring. However, it might be possible to improve the $O(a)$ -coloring algorithm. This appears to be a challenging task. The lower bound $\Omega(\sqrt{\frac{\log n}{\log \log n}})$ of [15] for the MIS problem is applicable for general graphs. However, on sparse graphs it might be possible to develop more efficient algorithms. Currently, even on un-oriented trees the best known algorithm has running time $O(\frac{\log n}{\log \log n})$ (shown in this paper). Finding better solution or a strong lower bound would help to classify the complexity of the distributed MIS problem.

Also, we have shown that one can color graphs with bounded arboricity in $n^{O(1)}$ colors in just $O(\log^* n)$ time. Improving the bound on the number of colors is an interesting venue for research.

Finally, we have shown that the problem of computing an $O(a)$ -coloring on sparse graphs is harder than computing an MIS on such graphs. Our lower bound for computing an $O(a)$ -coloring is logarithmic, while the MIS algorithm has sublogarithmic running time. This fact is quite surprising, since that there is no evidence for such a separation between the $(\Delta + 1)$ -coloring and the MIS problems.

References

1. N. Alon, L. Babai, and A. Itai. A fast and simple randomized parallel algorithm for the maximal independent set problem. *Journal of Algorithms*, 7(4):567–583, 1986.
2. S. R. Arikati, A. Maheshwari, and C. Zaroliagis. Efficient Computation of Implicit Representations of Sparse Graphs. *Discrete Applied Mathematics*, 78(1-3):1-16, 1997.
3. B. Awerbuch, A. V. Goldberg, M. Luby, and S. Plotkin. Network decomposition and locality in distributed computation. In *Proc. of the 30th Symposium on Foundations of Computer Science*, pages 364–369, 1989.
4. B. Bollobas. *Extremal Graph Theory*. Academic Press, 1978.
5. R. Cole, and U. Vishkin. Deterministic coin tossing with applications to optimal parallel list ranking. *Information and Control*, 70(1):32–53, 1986.
6. N. Deo and B. Litow. A structural approach to graph compression. In *Proc. of the MFCS Workshop on Communications*, pages 91–100, 1998.
7. V. Dujmovic, and D. R. Wood. Graph Treewidth and Geometric Thickness Parameters. *Discrete and Computational Geometry*, 37(4):641–670, 2007.
8. P. Erdős, P. Frankl, and Z. Füredi. Families of finite sets in which no set is covered by the union of r others. *Israel Journal of Mathematics*, 51:79–89, 1985.
9. B. Gfeller, and E. Vicari. A randomized distributed algorithm for the maximal independent set problem in growth-bounded graphs. In *Proc. of the 26th ACM Symp. on Principles of Distributed Computing*, pages 53–60, 2007.
10. A. Goldberg, and S. Plotkin. Efficient parallel algorithms for $(\Delta + 1)$ -coloring and maximal independent set problem. In *Proc. 19th ACM Symposium on Theory of Computing*, pages 315–324, 1987.
11. A. Goldberg, S. Plotkin, and G. Shannon. Parallel symmetry-breaking in sparse graphs. *SIAM Journal on Discrete Mathematics*, 1(4):434–446, 1988.
12. A. Itai, and M. Rodeh. Symmetry breaking in distributed networks. *Information and Computation*, 88(1):60–87, 1990.
13. K. Kothapalli, C. Scheideler, M. Onus, and C. Schindelhauer. Distributed coloring in $\tilde{O}(\sqrt{\log n})$ bit rounds. In *Proc. of the 20th International Parallel and Distributed Processing Symposium*, page 24, 2006.
14. F. Kuhn, T. Moscibroda, T. Nieberg, and R. Wattenhofer. Fast Deterministic Distributed Maximal Independent Set Computation on Growth-Bounded Graphs. In *Proc. of the 19th International Symposium on Distributed Computing*, pages 273–287, 2005.
15. F. Kuhn, T. Moscibroda, and R. Wattenhofer. What cannot be computed locally! In *Proc. of the 23rd ACM Symp. on Principles of Distributed Computing*, pages 300–309, 2004.
16. F. Kuhn, T. Moscibroda, and R. Wattenhofer. On the Locality of Bounded Growth. In *Proc. of the 24rd ACM Symp. on Principles of Distributed Computing*, pages 60–68, 2005.
17. F. Kuhn, and R. Wattenhofer. On the complexity of distributed graph coloring. In *Proc. of the 25th ACM Symp. on Principles of Distributed Computing*, pages 7–15, 2006.
18. N. Linial. Locality in distributed graph algorithms. *SIAM Journal on Computing*, 21(1):193–201, 1992.
19. M. Luby. A simple parallel algorithm for the maximal independent set problem. *SIAM Journal on Computing*, 15:1036–1053, 1986.
20. C. Nash-Williams. Decompositions of finite graphs into forests. *J. London Math*, 39:12, 1964.
21. A. Panconesi, and A. Srinivasan. On the complexity of distributed network decomposition. *Journal of Algorithms*, 20(2):581–592, 1995.
22. D. Peleg. *Distributed Computing: A Locality-Sensitive Approach*. SIAM, 2000.
23. J. Schneider, and R. Wattenhofer. A Log-Star Distributed Maximal Independent Set Algorithm For Growth Bounded Graphs. In *Proc. of the 27th ACM Symp. on Principles of Distributed Computing*, pages 35–44, 2008.
24. G. Singh. Efficient leader election using sense of direction. *Distributed Computing*, 10(3):159–165, 1997.
25. M. Szegegy, and S. Vishwanathan. Locality based graph coloring. In *Proc. 25th ACM Symposium on Theory of Computing*, pages 201–207, 1993.